

James Armstrong

P&M May 2026

- Tuesday 19th May 2026, 11am

online

| LOT Nr. | Description |
|----------------|---|
| 1 | Liquidation Entry - VJZ 2320 - 2013 Citroen Relay 35 L3h2 Medium Roof Diesel Van |
| 2 | Liquidation Entry - Ifor Williams 8 x 4 twin axle trailer |
| 3 | Liquidation Entry - 6m Scaffolding Tower |
| 4 | Liquidation Entry - A selection of 240V hand tools |
| 5 | Liquidation Entry - A selection of 110V power tools |
| 6 | Liquidation Entry - A Selection of pumps, fans and plumbing accessories |
| 7 | Liquidation Entry - Makita DA4000LR 240V Angle Drill with carrying case |
| 8 | Liquidation Entry - Metabo 240V Jig Saw with carrying case |
| 9 | Liquidation Entry - Makita 240V Drill with carrying case |
| 10 | Liquidation Entry - Bosch GBH 2-25 DFR 240V Drill with carrying case |
| 11 | Liquidation Entry - Hilti DD 130 110V Cord Drill with carrying case |
| 12 | Liquidation Entry - Ryobi 110V Jack Hammer |
| 13 | Liquidation Entry - Makita 110V HR 4001C Rotary Hammer with carrying case |
| 14 | Liquidation Entry - Bosch GSH 5E 110V Hammer Drill with carrying case |
| 15 | Liquidation Entry - Duotool SDS 110V Hammer Drill |
| 16 | Liquidation Entry - DeWALT D21570 110V Drill with carrying case |
| 17 | Liquidation Entry - Metabo 110V Wall chaser with carrying box |
| 18 | Liquidation Entry - Munters 240V Drizair Dehumidifier |
| 19 | Liquidation Entry - REMS 110V Amigo 2 Hand Pipe Threader |
| 20 | Liquidation Entry - A selection of various tools |
| 21 | Liquidation Entry - SDMO HS 2500 Generator |
| 22 | Liquidation Entry - SDMO HX 4000 Generator |
| 23 | Liquidation Entry - SDMO HX 3000 Generator |
| 24 | Liquidation Entry - Stephill Generator |
| 25 | Liquidation Entry - Gas-powered pressure washer |
| 26 | Liquidation Entry - 2 manual pallet trucks |
| 27 | Liquidation Entry - Belle Minimix 150 Cement Mixer |
| 28 | Liquidation Entry - A set of two concrete saws |
| 29 | Liquidation Entry - A set of pipe bending machines |
| 30 | Liquidation Entry - Leica Runner 20/24 Automatic Optical Level KIT |
| 31 | Liquidation Entry - 2 sets of collabsable steps |
| 32 | Liquidation Entry - 2 sets of 1.8m steps |
| 33 | Liquidation Entry - 3.5m Double extension ladder |
| 34 | Liquidation Entry - Selection of builders trestles |
| 35 | Liquidation Entry - 3 section 3.5m extension ladder |
| 36 | Liquidation Entry - A set of roof ladders |
| 37 | Liquidation Entry - Double extension ladder |
| 38 | Company Direct - HJ17 HHT - 2017 Ford Transit 460 Trend Econetic Tech Minibus with twin rear wheels, Tachograph and 17 seats + driver. Two keys. |
| 39 | Company Direct - EN17 DHJ - 2017 Ford Transit 460 Trend Econetic Tech Minibus with twin rear wheels, Tachograph and 17 seats + driver. Two keys. |
| 40 | New AGT XK12G-R 1 Tonne Mini Excavator c/w Canopy, 7in Wide Rubber Tracks, Backfill Blade, 16in Digging Bucket, Mechanical Thumb, LED Work-Light and Plumbed for Auxiliary Hydraulics. Also |

Included is a Toolbox and Maintenance Tools.

Specifications:

â€¢ Colour: Orange

â€¢ Engine: Rato Petrol

â€¢ Rated Power: 10kW (13.5hp)

â€¢ Displacement: 420cc

â€¢ Fuel Capacity: 6.6L

â€¢ Fuel Consumption: 0.5-1.2 L/Hr

- 41 New JAC CBD15 Electric Pallet Truck, 1500kg Loading Capacity, Electric Lifting, Lowering and Driving, Curtis Controller, Mechanical Steering, Balance Wheel, Emergency Stop Button, 24V/75Ah Battery and Built-In Charger.

â€¢ Fork Dimensions: 1150mm x 560mm

â€¢ Turning Radius: Approx. 1352mm - 1398mm

â€¢ Operating Speed: Approx. 4.2km/h - 4.5km/h

- 42 New JAC CBD15 Electric Pallet Truck, 1500kg Loading Capacity, Electric Lifting, Lowering and Driving, Curtis Controller, Mechanical Steering, Balance Wheel, Emergency Stop Button, 24V/75Ah Battery and Built-In Charger.

â€¢ Fork Dimensions: 1150mm x 560mm

â€¢ Turning Radius: Approx. 1352mm - 1398mm

â€¢ Operating Speed: Approx. 4.2km/h - 4.5km/h

- 43 New Outdoor Gas Barbecue Unit c/w Coffee Coloured Wood Grain WPC Panels, Grey Powder-Coated Stainless Steel, Range Cooker Extractor Hood, Barbecue Grill, Hotplate, Under Counter Storage, Sink, Plug Sockets & USB Charging Ports, Bottle Opener, Lights, Integrated Bluetooth Speakers, Electric Roller Blind Shutter Door and Easy-Clean Stainless Steel Interior Surfaces.

Ext. Dimensions: 7ft x 3ft x 7.5ft (L x W x H)

- 44 New Phixwell LB6000 Heavy-Duty Portable Petrol Site Generator c/w Operators Manual, Double Ended Spanner, Long Reach Spark Plug Box Wrench, 2 x 32 Amp 110V Plug Sockets and 1 x 32 Amp 230V Plug Socket, 12V Battery Charging Leads, Wheel Kit and Handles for Easy Transport.

Specifications:

â€¢ Displacement: 420cc

â€¢ Max Output Power: 15hp

â€¢ Rated Output: 6kW

â€¢ Maximum Output: 6.5kW

â€¢ Starting System: Electric Key Start & Pull Cord Recoil

â€¢ Fuel Type: Petrol

â€¢ Fuel Tank Capacity: 25L

â€¢ Continuous Operating Time: 8hrs

â€¢ Oil Capacity: 1.1L

â€¢ Output Sockets: 110V (2 of)

â€¢ Output Sockets: 230V

â€¢ Output Sockets: 12V (Durable Screw-On)

- 45 New Phixwell LB7000 Heavy-Duty Portable Petrol Site Generator c/w Operators Manual, Double Ended Spanner, Long Reach Spark Plug Box Wrench, 2 x 32 Amp 110V Plug Sockets and 1 x 32 Amp 230V Plug Socket, 12V Battery Charging Leads Wheel Kit and Handles for Easy Transport.

Specifications:

â€¢ Displacement: 458cc

â€¢ Max Output Power: 17hp

â€¢ Rated Output: 7kW

â€¢ Maximum Output: 7.5kW

â€¢ Starting System: Electric Key Start & Pull Cord Recoil

â€¢ Fuel Type: Petrol

â€¢ Fuel Tank Capacity: 25L

â€¢ Continuous Operating Time: 8hrs

â€¢ Oil Capacity: 1.1L

â€¢ Output Sockets: 110V (2 of)

â€¢ Output Sockets: 230V

â€¢ Output Sockets: 12V (Durable Screw-On)

- 46 New 75L Portable Diesel Fuel Caddy, High-Density Polyethylene Plastic, 12V Electric Pump (40L/min) , 4m of 3/4" Hose Reel, High-Quality Auto-Shut-Off Fuel Nozzle, 4m Electric Cable with Crocodile Clips, Built-In Lifting Handles and Integrated Wheels.

Ext. Dimensions: 480mm x 530mm x 1050mm (L x W x H)

- 47 New 100L Portable Diesel Fuel Tank, High-Density Polyethylene Plastic, 12V Electric Pump (40L/min) , 4m of 3/4" Hose Reel, High-Quality Auto-Shut-Off Fuel Nozzle and 4m Electric Cable with Crocodile Clips.

Ext. Dimensions: 800mm x 530mm x 510mm (L x W x H)

- 48 New 200L Portable Diesel Fuel Tank, High-Density Polyethylene Plastic, 12V Electric Pump (40L/min) , 4m of 3/4" Hose Reel, High-Quality Auto-Shut-Off Fuel Nozzle, Air Breather, 4m Electric Cable with Crocodile Clips, Lockable Hinged Lid and Forklift Pockets.

Ext. Dimensions: 830mm x 760mm x 590mm (L x W x H)

- 49 New 200L Portable Diesel Fuel Tank, High-Density Polyethylene Plastic, 12V Electric Pump (40L/min) , 4m of 3/4" Hose Reel, High-Quality Auto-Shut-Off Fuel Nozzle, Air Breather, 4m Electric Cable with Crocodile Clips, Lockable Hinged Lid and Forklift Pockets.

Ext. Dimensions: 830mm x 760mm x 590mm (L x W x H)

- 50 New S203012R 20ft Dome Storage Shelter c/w Heavy-Duty 16 Gauge Single Trussed Steel Frame, Durable Galvanised Steel, High-Quality 500g PVC Shelter Canopy and Roll-Up Doors with Zippers.

Ext. Dimensions: 20ft x 30ft x 12ft (L x W x H)

Colour: Forest Green

Suitable For:

â€¢ Agricultural Storage

â€¢ Industrial Storage

â€¢ Vehicle and Boat Storage

â€¢ Event and Exhibition Tents

â€¢ Commercial Tents

- 51 New / One Trip 40ft High Cube Multi-Door Shipping Container c/w 4 Side Opening Doors, End Doors, Lock Box, Lifting Eyes & 27mm Marine Plywood Floor.

Colour: Grey | Weight: 4,250kg

Ext. Dimensions:

Length: 40ft / 12.19m

Width: 8ft / 2.44m

Height: 9.5ft / 2.89m

****Buyer Must Be Self-Sufficient When Loading****

- 52 New / One Trip 40ft High Cube Multi-Door Shipping Container c/w 4 Side Opening Doors, End Doors, Lock Box, Lifting Eyes & 27mm Marine Plywood Floor.

Colour: Grey | Weight: 4,260kg

Ext. Dimensions:

Length: 40ft / 12.19m

Width: 8ft / 2.44m

Height: 9.5ft / 2.89m

****Buyer Must Be Self-Sufficient When Loading****

- 53 New 8ft Container c/w Side Door & Window, End Doors, Lock Box, Forklift Pockets, Lifting Eyes & 27mm Thick Marine Plywood Floor. The Container is Stackable & has a Lockable Side Door. Colour: White. Ext. Dimensions: 2490mm x 2040mm x 2260mm (L x W x H). Weight: 780Kg
- 54 New 9ft Container c/w Side Door and Window, End Doors, Lock Box, Forklift Pockets, Lifting Eyes and 27mm Thick Marine Plywood Floor. The Container is Stackable, has Window Security Bars and a Lockable Side Door.

Colour: Black | Weight: 900kg

Ext. Dimensions: 2740mm x 2200mm x 2510mm (L x W x H)

Suitable For:

â€¢ Storage Container

â€¢ Tools Storage

â€¢ Site Office

â€¢ Site Safe

â€¢ Chemical Store

â€¢ Hazardous Storage Cabinet

â€¢ Garden Shed

â€¢ Motorbike or Quad Storage

â€¢ Security Office

- 55 New 8ft Container c/w Side Door and Window, End Doors, Lock Box, Forklift Pockets, Lifting Eyes and 27mm Thick Marine Plywood Floor. The Container is Stackable, has Window Security Bars and a Lockable Side Door.

Colour: Black | Weight: 780kg

Ext. Dimensions: 2490mm x 2040mm x 2260mm (L x W x H)

Suitable For:

- â€¢ Storage Container
- â€¢ Tools Storage
- â€¢ Site Office
- â€¢ Site Safe
- â€¢ Chemical Store
- â€¢ Hazardous Storage Cabinet
- â€¢ Garden Shed
- â€¢ Motorbike or Quad Storage
- â€¢ Security Office

56 New 7ft Container c/w Side Door and Window, End Doors, Lock Box, Forklift Pockets, Lifting Eyes and 27mm Thick Marine Plywood Floor. The Container is Stackable, has Window Security Bars and a Lockable Side Door.

Colour: Black | Weight: 670kg

Ext. Dimensions: 2230mm x 1850mm x 2000mm (L x W x H)

Suitable For:

- â€¢ Storage Container
- â€¢ Tools Storage
- â€¢ Site Office
- â€¢ Site Safe
- â€¢ Chemical Store
- â€¢ Hazardous Storage Cabinet
- â€¢ Garden Shed
- â€¢ Security Office

57 New 6ft Container c/w End Doors, Lock Box, Forklift Pockets, Lifting Eyes and 27mm Thick Marine Plywood Floor.

Colour: Grey | Weight: 700Kg

Ext. Dimensions: 1980mm x 1640mm x 1740mm (L x W x H)

Suitable For:

- â€¢ Storage Container
- â€¢ Tools Storage
- â€¢ Site Safe
- â€¢ Chemical Store
- â€¢ Hazardous Storage Cabinet
- â€¢ Garden Shed

58 New 5ft Container c/w End Doors, Lock Box, Forklift Pockets, Lifting Eyes & 27mm Thick Marine Plywood Floor.

Colour: Grey | Weight: 600kg

Ext. Dimensions: 1720mm x 1460mm x 1490mm (L x W x H)

Suitable For:

- â€¢ Storage Container
- â€¢ Tools Storage

â€¢ Site Safe
â€¢ Chemical Store
â€¢ Hazardous Storage Cabinet
â€¢ Garden Shed

- 59 New Forklift Extension Toes, Heavy-Duty Pressed Steel, Tapered and Shaped Tips, Rounded Edges for Easy Load Entry, Black Powder-Coated Finish and Fixed Rear Stop Lugs. (Qty of 2)

Total Length: 72in / 1830mm
Compatible Fork Width: 6in / 150mm
Maximum Fork Thickness: 2in / 50mm

- 60 New Forklift Extension Toes, Heavy-Duty Pressed Steel, Tapered and Shaped Tips, Rounded Edges for Easy Load Entry, Black Powder-Coated Finish and Fixed Rear Stop Lugs. (Qty of 2)

Total Length: 72in / 1830mm
Compatible Fork Width: 6in / 150mm
Maximum Fork Thickness: 2in / 50mm

- 61 New 220V Single Toilet Unit, c/w Duo Flush Toilet, Mixer Tap & Sink, Light, Fan, Toilet Paper Holder, Toilet Brush & Holder, Cubicle Coat Hook, Insulated Door & Walls, Forklift Pockets, Lifting Lugs and Multiple Keys.

Ext. Dimensions: 1100mm x 1300mm x 2360mm / 4ft x 4.5ft x 8ft (L x W x H)

- 62 New 220V Portable Site Single Toilet Block, c/w Button Flush Toilet, Tap, Sink, Mirror, LED Light, Extractor Fan, Toilet Paper Holder, Plug Socket with 2 USB Charging Ports, Non-Slip, Easy-Clean Flooring, Insulated Walls and Ceiling, Ventilation Panels, Forklift Pockets, Lifting Lugs and Multiple Keys.

Ext. Dimensions: 1.5m x 1.1m x 2.3m Approx. (L x W x H)

- 63 New 220V Portable Site Toilet & Shower Block c/w Duo Flush Toilet, Sink, Tap, LED Light, Extraction Fan, Toilet Paper Holder, Shower Column with Hand Attachment, Soap Dish, Mirror, Under Sink Cabinet, Non-Slip, Easy-Clean Flooring, Insulated Walls and Ceiling, Ventilation Panels, Lifting Lugs, Forklift Pockets and Multiple Keys.

Ext. Dimensions: 2m x 2.2m x 2.3m Approx. (L x W x H)

- 64 New 13ft XPF13H Electric Cantilever Sliding Gate, c/w MD 550 Electric Motor, Safety Sensors, Manual Release Handle, Remote Controls and Operators Manual.

Length: 13ft / 4m
Height: 5ft / 1.6m

****No Girder or Ground Track Required as the Cantilever Gate is Self-Supporting****

- 65 New 13ft XPF13H Electric Cantilever Sliding Gate, c/w MD 550 Electric Motor, Safety Sensors, Manual Release Handle, Remote Controls and Operators Manual.

Length: 13ft / 4m.
Height: 5ft / 1.6m.

****No Girder or Ground Track Required as the Cantilever Gate is Self-Supporting****

- 66 New 4m Electric Cantilever Sliding Gate, c/w Black Composite Finish, MD 550 Electric Motor, Safety Sensors, Manual Release Handle, Remote Controls and Operators Manual.

Length: 13ft / 4m
Height: 5ft / 1.6m

- 67 **No Girder or Ground Track Required as the Cantilever Gate is Self-Supporting**
New 4m Electric Cantilever Sliding Gate, c/w Black Composite Finish, MD 550 Electric Motor, Safety Sensors, Manual Release Handle, Remote Controls and Operators Manual.
- Length: 13ft / 4m.
Height: 5ft / 1.6m.
- 68 **No Girder or Ground Track Required as the Cantilever Gate is Self-Supporting**
New 14ft Bi-Parting Iron Gates, Single Arc, Matte Black, Hot Dip Galvanised & Powder-Coated (Tree Design).
- Width: 14ft / 4.29m.
Highest Height: Approx. 7.42ft / 2.26m.
Lowest Height: Approx. 5.83ft / 1.77m.
- Suitable For: Field, Farm or Driveway
- 69 **Images for illustration Purposes Only**
New 14ft Bi-Parting Iron Gates, Single Arc, Matte Black, Hot Dip Galvanised & Powder-Coated (Tree Design).
- Width: 14ft / 4.29m.
Highest Height: Approx. 7.42ft / 2.26m.
Lowest Height: Approx. 5.83ft / 1.77m.
- Suitable For: Field, Farm or Driveway
- 70 **Images for illustration Purposes Only**
New 14ft Bi-Parting Iron Gates, Single Arc, Matte Black, Hot Dip Galvanised & Powder-Coated (Tree Design).
- Width: 14ft / 4.29m.
Highest Height: Approx. 7.42ft / 2.26m.
Lowest Height: Approx. 5.83ft / 1.77m.
- Suitable For: Field, Farm or Driveway
- 71 **Images for illustration Purposes Only**
New 14ft Bi-Parting Iron Gates, Adjustable Gate Hinge Eye Bolts & Nuts, Integrated Manual Drop Bolt, Single Arc, Matte Black, Hot Dip Galvanised & Powder-Coated (Leaf Design).
- Width: 14ft / 4.29m.
Height: 6ft / 1.85m.
- Suitable For: Field, Farm or Driveway
- 72 New 4.5ft Workbench with 7 Drawers and 2 Cabinets, Stainless Steel Worktop, Packed in Plastics, Drawers with Lock & Anti-Slip Liners, 3 Section Ball-Bearing Slide Rails, Heavy-Duty Caster Wheels, Stainless Steel, Black Powder-Coated Finish, Lockable Drawers & Cabinets, Stainless Steel Side Handle and c/w Multiple Keys.
- 73 Ext. Dimensions: 144cm x 53cm x 94cm Approx. (L x W x H)
New 4.5ft Workbench with 7 Drawers and 2 Cabinets, Stainless Steel Worktop, Packed in Plastics, Drawers with Lock & Anti-Slip Liners, 3 Section Ball-Bearing Slide Rails, Heavy-Duty Caster Wheels,

Stainless Steel, Black Powder-Coated Finish, Lockable Drawers & Cabinets, Stainless Steel Side Handle and c/w Multiple Keys.

- 74 Ext. Dimensions: 144cm x 53cm x 94cm Approx. (L x W x H)
New 7ft Work Bench with 10 Drawers and 2 Cabinets, Packed in Plastics, Drawers with Lock & Anti-Slip Liners, 3 Section Ball-Bearing Slide Rails, Stainless Steel, Integrated Locking System and Supplied with Keys.
- 75 Ext. Dimensions: 225cm x 60cm x 96cm Approx. (L x W x H)
New 7ft Work Bench with 20 Drawers, Packed in Plastics, Drawers with Lock & Anti-Slip Liners, 3 Section Ball-Bearing Slide Rails, Stainless Steel, Integrated Locking System and Supplied with Keys.
- 76 Ext. Dimensions: 225cm x 60cm x 96cm Approx. (L x W x H)
New 7ft Work Bench with 20 Drawers, Packed in Plastics, Drawers with Lock & Anti-Slip Liners, 3 Section Ball-Bearing Slide Rails, Stainless Steel, Integrated Locking System and Supplied with Keys.
- 77 Ext. Dimensions: 225cm x 60cm x 96cm Approx. (L x W x H)
New 2025 10ft Work Bench with 30 Drawers. Packed in Plastics. Drawers with Lock & Anti-Slip Liners, 3 Section Ball-Bearing Slide Rails, Stainless Steel, Integrated Locking System and Supplied with Keys.
- 78 Ext. Dimensions: 287cm x 59cm x 97cm Approx. (L x W x H)
New Deuschtech DT-MAX 11 Drawer Tool Cabinet on Heavy-Duty Caster Wheels, 3 Section Ball-Bearing Slide Rails, Solid Wood Worktop, Foam Drawer Inserts, Stainless Steel, Black Powder-Coated Finish, Lockable Drawers and c/w Tools Inc Socket & Ratchet Sets, Screwdriver Set, Pliers, Spanner Sets, Hammers and Files etc.
- 79 Ext. Dimensions: 137cm x 54cm x 98cm / 4.5ft x 1.7ft x 3.2ft (L x W x H)
New Phixwell XXL 7 Drawer Tool Cabinet on Heavy-Duty Caster Wheels, 3 Section Ball-Bearing Slide Rails, Foam Drawer Inserts, Stainless Steel, Black Powder-Coated Finish, Lockable Drawers Side Handle and c/w Tools, Inc Socket & Ratchet Sets, Screwdriver Set, Pliers, Spanners and 2 Keys.
- 80 Ext. Dimensions: 800mm x 450mm x 950mm / 2.6ft x 1.4ft x 3.1ft (L x W x H)
New Phixwell XXL 7 Drawer Tool Cabinet on Heavy-Duty Caster Wheels, 3 Section Ball-Bearing Slide Rails, Foam Drawer Inserts, Stainless Steel, Black Powder-Coated Finish, Lockable Drawers Side Handle and c/w Tools, Inc Socket & Ratchet Sets, Screwdriver Set, Pliers, Spanners and 2 Keys.
- 81 Ext. Dimensions: 800mm x 450mm x 950mm / 2.6ft x 1.4ft x 3.1ft (L x W x H)
New Phixwell XXL 7 Drawer Tool Cabinet on Heavy-Duty Caster Wheels, 3 Section Ball-Bearing Slide Rails, Foam Drawer Inserts, Stainless Steel, Black Powder-Coated Finish, Lockable Drawers Side Handle and c/w Tools, Inc Socket & Ratchet Sets, Screwdriver Set, Pliers, Spanners and 2 Keys.
- 82 Ext. Dimensions: 800mm x 450mm x 950mm / 2.6ft x 1.4ft x 3.1ft (L x W x H)
New Ratchet Load Binder and Chain Set c/w Qty of (5) 5400lb Ratchet Binders and Qty of (10) 5/16 20ft G70 Chain.
- 83 New Ratchet Load Binder and Chain Set c/w Qty of (5) 5400lb Ratchet Binders and Qty of (10) 5/16 20ft G70 Chain.
- 84 New Ratchet Load Binder and Chain Set c/w Qty of (5) 5400lb Ratchet Binders and Qty of (10) 5/16 20ft G70 Chain.
- 85 New Double Leg Lifting Chain Set c/w Qty of (8) 7ft 5/16 G80 Alloy Steel Chains.

Colour: Black & Silver

****Images for illustration Purposes Only****

86 New Double Leg Lifting Chain Set c/w Qty of (8) 7ft 5/16" G80 Alloy Steel Chains.

Colour: Black & Silver

****Images for illustration Purposes Only****

87 New Double Leg Lifting Chain Set c/w Qty of (8) 7ft 5/16" G80 Alloy Steel Chains.

Colour: Black & Silver

****Images for illustration Purposes Only****

88 New Ratchet Tie Down Strap Set c/w 16Pcs: 2in x 27ft Ratchet Tie Down with Minimum Breaking Strength of 5000kg and 8pcs: 1.5in x 27ft Ratchet Tie Down with Minimum Breaking Strength of 3000kg & Comes in Metal Toolbox.

89 New 2025 Sinostar YN125 125000 BTU Diesel / kerosene Space Heater, c/w Thermostat Control, Fuel Gauge & Flow Gauge.

Fuel Consumption: 3.6L/Hr

Fuel Tank Capacity: 38L