

James Armstrong

P&M August 2026

- Tuesday 25th August 2026, 11am

online

[illegible]

- 16 New 13ft Open Plan Garden Room / Home Office c/w Teak Coloured Wood Grain WPC Panels, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish, Composite Wood Flooring, PVC Wood Effect Wall Panels, High Gloss White PVC Roof Panels, Insulated Walls and Ceiling, Double-Glazed Windows and Door, LED Lights, Plug Sockets and USB Charging Ports, Forklift Pockets, Lifting Eyes and Approx. 90 sq ft of Floor Space. O/D: 13ft x 7ft x 8ft (L x W x H)
- 17 New Outdoor Gas Barbecue Unit c/w Coffee Coloured Wood Grain WPC Panels, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish, Range Cooker Extractor Hood, Barbecue Grill, Hotplate, Under Counter Storage, Sink, Plug Sockets and USB Charging Ports, Bottle Opener, LED Lights, Integrated Bluetooth Speakers, Electric Roller Blind Shutter Door and Stainless Steel Interior Surfaces. O/D: 7ft x 3ft x 7.5ft (L x W x H)
- 18 Unused Ex Display Outdoor All Year-Round Gas Barbecue Unit c/w Teak Coloured Wood Grain WPC Panels, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish, Barbecue Grill, Hotplate, Under Counter Storage, Sink, Multiple Plug Sockets, Bottle Opener, LED Lights, Remote-Controlled Electric Door and Stainless Steel Interior Surfaces. O/D: 7ft x 3ft x 7.5ft (L x W x H) **See Extra Images for Transport Damage**
- 19 New Forest Green S203012R 20ft Agricultural Dome Storage Shelter c/w Heavy-Duty 16 Gauge Single Trussed Steel Frame, Durable Galvanised Steel, High-Quality 500g PVC Shelter Canopy and Roll-Up Doors with Zippers. O/D: 20ft x 30ft x 12ft (L x W x H)
- 20 New 2026 Phixwell CDDCQY-10T Mobile Container Ramp c/w Galvanised Anti-Skid Mesh Floor, Foldable Tail Plate, Safety Guard-Rails, Locking Chains, Solid Tyres, Wheel Chocks, Hydraulic Manual Lift and Wind-Down Jack Legs and Anti-Corrosion Water Blue Powder-Coated Finish. O/D: 11.4m x 2.1m (L x W)
- 21 New / One Trip 40ft COR-TEN Steel High Cube Multi-Door Shipping Container c/w 4 Side Opening Doors, End Doors, Heavy-Duty Anchor Points, Lock Box, Lifting Eyes, 27mm Marine Plywood Floor and Light Grey Marine-Grade Paint. O/D: 40ft x 8ft x 9.5ft (L x W x H) **Buyer Must Be Self-Sufficient When Loading**
- 22 New 20ft COR-TEN Steel Multi-Door Shipping Container c/w 2 Side Opening Doors, End Doors, Heavy-Duty Anchor Points, Forklift Pockets, Lock Box, Lifting Eyes, 18mm Marine Plywood Floor and Water Blue Marine-Grade Paint. O/D: 19.5ft x 7.3ft x 8.2ft (L x W x H)
- 23 New 9ft COR-TEN Steel Container / Secure Site Office c/w Lockable Pedestrian Side Door, Anti-Vandal Double-Glazed Window Equipped with Lever Lock Catch, End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor, Multiple Keys and Light Grey Marine-Grade Paint. O/D: 2740mm x 2200mm x 2510mm (L x W x H)
- 24 New 8ft COR-TEN Steel Container / Secure Site Office c/w Lockable Pedestrian Side Door, Anti-Vandal Double-Glazed Window Equipped with Lever Lock Catch, End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor, Multiple Keys and Light Grey Marine-Grade Paint. O/D: 2490mm x 2040mm x 2260mm (L x W x H)
- 25 New 7ft COR-TEN Steel Container / Secure Site Office c/w Lockable Pedestrian Side Door, Anti-Vandal Double-Glazed Window Equipped with Lever Lock Catch, End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor, Multiple Keys and Light Grey Marine-Grade Paint. O/D: 2230mm x 1850mm x 2000mm (L x W x H)
- 26 New 6ft COR-TEN Steel Container / Secure Site Store c/w End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor and Light Grey Marine-Grade Paint. O/D: 1980mm x 1640mm x 1740mm (L x W x H)
- 27 New 5ft COR-TEN Steel Container / Secure Site Store c/w End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor and Light Grey Marine-Grade Paint. O/D: 1720mm x 1460mm x 1490mm (L x W x H)
- 28 New 8ft COR-TEN Steel Container / Secure Site Office c/w Lockable Pedestrian Side Door, Anti-Vandal Double-Glazed Window Equipped with Lever Lock Catch, End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor, Multiple Keys and Anthracite Grey Marine-Grade Paint. O/D: 2490mm x 2040mm x 2260mm (L x W x H)
- 29 New 7ft COR-TEN Steel Container / Secure Site Office c/w Lockable Pedestrian Side Door, Anti-Vandal Double-Glazed Window Equipped with Lever Lock Catch, End Doors, Lock Box, Forklift

- Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor, Multiple Keys and Anthracite Grey Marine-Grade Paint. O/D: 2230mm x 1850mm x 2000mm (L x W x H)
- 30 New 6ft COR-TEN Steel Container / Secure Site Store c/w End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor and Anthracite Grey Marine-Grade Paint. O/D: 1980mm x 1640mm x 1740mm (L x W x H)
- 31 New 5ft COR-TEN Steel Container / Secure Site Store c/w End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor and Anthracite Grey Marine-Grade Paint. O/D: 1720mm x 1460mm x 1490mm (L x W x H)
- 32 New 8ft Forklift Extension Toes (Qty of 2) c/w Heavy-Duty Steel, Tapered and Shaped Tips, Rounded Edges for Easy Load Entry and Anti-Corrosion Black Powder-Coated Finish. Total Length: 96in / 2438mm, Compatible Fork Width: 5in / 127mm and Maximum Fork Thickness: 2in / 50mm.
- 33 New 8ft Forklift Extension Toes (Qty of 2) c/w Heavy-Duty Steel, Tapered and Shaped Tips, Rounded Edges for Easy Load Entry and Anti-Corrosion Black Powder-Coated Finish. Total Length: 96in / 2438mm, Compatible Fork Width: 5in / 127mm and Maximum Fork Thickness: 2in / 50mm.
- 34 New 1CY Forklift Tipping Skip c/w Heavy-Duty Steel, Long Forklift Pockets, Self-Dumping Design with Locking Latch and 1250kg Load Capacity. O/D: 1.1m x 1.1m x 1.0m (L x W x H)
- 35 New 1CY Forklift Tipping Skip c/w Heavy-Duty Steel, Long Forklift Pockets, Self-Dumping Design with Locking Latch and 1250kg Load Capacity. O/D: 1.1m x 1.1m x 1.0m (L x W x H)
- 36 New Phixwell LB8000 (8kW) Heavy-Duty Portable Petrol Site Generator c/w Electric Key Start and Pull Cord Recoil, 18hp Engine, Operators Manual, Double Ended Spanner, Long Reach Spark Plug Box Wrench, 1 x 110V Plug Sockets and 1 x 230V Plug Socket, 12V Battery Charging Leads, 25L Fuel Tank Capacity, Wheel Kit and Handles.
- 37 New Phixwell LB8000 (8kW) Heavy-Duty Portable Petrol Site Generator c/w Electric Key Start and Pull Cord Recoil, 18hp Engine, Operators Manual, Double Ended Spanner, Long Reach Spark Plug Box Wrench, 1 x 110V Plug Sockets and 1 x 230V Plug Socket, 12V Battery Charging Leads, 25L Fuel Tank Capacity, Wheel Kit and Handles.
- 38 New Phixwell LB7000 (7kW) Heavy-Duty Portable Petrol Site Generator c/w Electric Key Start and Pull Cord Recoil, 17hp Engine, Operators Manual, Double Ended Spanner, Long Reach Spark Plug Box Wrench, 2 x 110V Plug Sockets and 1 x 230V Plug Socket, 12V Battery Charging Leads, 25L Fuel Tank Capacity, Wheel Kit and Handles.
- 39 New 72in / 6ft Rotary Skid Steer Broom c/w Heavy Duty Poly Steel Wire Wafer Brush and 400 Litre Capacity Sweeper Bucket. Operating Width: 1830mm, Brush Diameter: 560mm and Operating Pressure: 16mpa.
- 40 New 220V Portable Single Toilet Block c/w Duo Flush Toilet, Mixer Tap, Sink, LED Light, Extraction Fan, Toilet Paper Holder, PVC Non-Slip Easy-Clean Flooring, Cubicle Coat Hook, Insulated Walls and Ceiling, Ventilation Panels, Forklift Pockets, Lifting Lugs and Multiple Keys. O/D: 4ft x 4.5ft x 8ft (L x W x H)
- 41 New 220V Portable Single Toilet Block c/w Combined 2 in 1 Sink and Duo Flush Toilet, Tap, LED Light, Extraction Fan, PVC Non-Slip Easy-Clean Flooring, Insulated Walls and Ceiling, Ventilation Panels, Triple Ribbon Windows, Self-Closing Door Hinge, Forklift Pockets, Lifting Lugs and Multiple Keys. O/D: 1.1m x 1.25m x 2.4m (L x W x H)
- 42 New 220V Portable Single Toilet Block c/w Coffee Coloured Wood Grain WPC Panels, Duo Flush Toilet, Tap, Sink, Mirror, LED Light, Extraction Fan, Toilet Paper Holder, Plug Socket with USB and USB-C Charging Ports, PVC Non-Slip Easy-Clean Flooring, Insulated Walls and Ceiling, Ventilation Panels, Single Ribbon Window, Self-Closing Door Hinge, Forklift Pockets, Lifting Lugs and Multiple Keys. O/D: 1.5m x 1.1m x 2.4m (L x W x H)
- 43 New 16ft x 6ft Electric Cantilever Sliding Entrance Gate c/w Teak Coloured Wood Grain WPC Panels, Counter-Balance Tail, Durable Steel, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish, MD-550 Electric Motor, Power Failure Manual Release Handle, Obstacle Detection Sensors, Wi-Fi + Bluetooth Control Module, Multiple Remote Control Key Fobs and Operators Manual. (Self-Supporting Gate)
- 44 New 16ft x 6ft Electric Cantilever Sliding Entrance Gate c/w Coffee Coloured Wood Grain WPC Panels, Counter-Balance Tail, Durable Steel, Dual-Layer Corrosion and Rust Resistant

- Powder-Coated Finish, MD-550 Electric Motor, Power Failure Manual Release Handle, Obstacle Detection Sensors, Wi-Fi + Bluetooth Control Module, Multiple Remote Control Key Fobs and Operators Manual. (Self-Supporting Gate)
- 45 New 16ft x 6ft Electric Cantilever Sliding Entrance Gate c/w Charcoal Coloured Wood Grain WPC Panels, Counter-Balance Tail, Durable Steel, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish, MD-550 Electric Motor, Power Failure Manual Release Handle, Obstacle Detection Sensors, Wi-Fi + Bluetooth Control Module, Multiple Remote Control Key Fobs and Operators Manual. (Self-Supporting Gate)
- 46 New 13ft x 5ft Electric Cantilever Sliding Entrance Gate c/w Vertical Bars, Durable Steel, Dual-Layer Corrosion and Rust Resistant Black Powder-Coated Finish, MD-550 Electric Motor, Power Failure Manual Release Handle, Obstacle Detection Sensors, Multiple Remote Control Key Fobs and Operators Manual. (Self-Supporting Gate)
- 47 Unused Ex Display 4m x 1.6m Electric Sliding Entrance Gate c/w Teak Coloured Wood Grain WPC Panels, Durable Steel, Dual-Layer Corrosion and Rust Resistant Black Powder-Coated Finish, MD-550 Electric Motor, Power Failure Manual Release Handle, Obstacle Detection Sensors, Multiple Remote Control Key Fobs and Operators Manual. (Tracked Configuration Gate) ** See Extra Images for Transport Damage**
- 48 New 14ft Bi-Parting Double Iron Gates c/w European Style Design, Hinges, Single Arc, Jet Black, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish and Fully Welded. 7.42ft / 2.26m and Lowest Height: Approx. 5.83ft / 1.77m.
- 49 New 14ft Bi-Parting Double Iron Gates c/w European Style Design, Hinges, Single Arc, Jet Black, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish and Fully Welded. 7.42ft / 2.26m and Lowest Height: Approx. 5.83ft / 1.77m.
- 50 New 14ft Bi-Parting Double Iron Gates c/w Artwork Horse Design, Hinges, Double Arc, Jet Black, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish and Fully Welded. 7.42ft / 2.26m and Lowest Height: Approx. 5.83ft / 1.77m.
- 51 Unused Ex Display 14ft Bi-Parting Double Iron Gate c/w Artwork Tree Design, Hinges, Single Arc, Jet Black, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish and Fully Welded. Highest Height: Approx. 7.42ft / 2.26m and Lowest Height: Approx. 5.83ft / 1.77m. **See Extra Images for Transport Damage**
- 52 New Phixwell XXL 7 Drawer Tool Cabinet c/w Heavy-Duty Caster Wheels, 3 Section Ball-Bearing Slide Rails, Foam Drawer Inserts, Stainless Steel, Dual-Layer Corrosion and Rust Resistant Water Blue Powder-Coated Finish, Lockable Drawers, Multiple Keys, Side Handle and c/w Tools incl. Ratchet Set, Socket Set, Ratchet Spanner Set, Pliers Set, Parallel Punch Set, Hammer and Screwdriver Set. O/D: 800mm x 450mm x 950mm (L x W x H)
- 53 New Phixwell XXL 7 Drawer Tool Cabinet c/w Heavy-Duty Caster Wheels, 3 Section Ball-Bearing Slide Rails, Foam Drawer Inserts, Stainless Steel, Dual-Layer Corrosion and Rust Resistant Water Blue Powder-Coated Finish, Lockable Drawers, Multiple Keys, Side Handle and c/w Tools incl. Ratchet Set, Socket Set, Ratchet Spanner Set, Pliers Set, Parallel Punch Set, Hammer and Screwdriver Set. O/D: 800mm x 450mm x 950mm (L x W x H)
- 54 New Deutschtech DT-MAX 11 Drawer Tool Cabinet c/w Heavy-Duty Caster Wheels, 3 Section Ball-Bearing Slide Rails, Solid Wood Worktop, Foam Drawer Inserts, Stainless Steel, Dual-Layer Corrosion and Rust Resistant Jet Black Powder-Coated Finish, Lockable Drawers, Multiple Keys and c/w Tools Inc. Socket and Ratchet Sets, Screwdriver Set, Pliers, Spanner Sets, Hammers and Files etc. O/D: Approx. 4.5ft x 1.7ft x 3.2ft (L x W x H)
- 55 New Deutschtech DT-MAX 11 Drawer Tool Cabinet c/w Heavy-Duty Caster Wheels, 3 Section Ball-Bearing Slide Rails, Solid Wood Worktop, Foam Drawer Inserts, Stainless Steel, Dual-Layer Corrosion and Rust Resistant Signal White Powder-Coated Finish, Lockable Drawers, Multiple Keys and c/w Tools Inc. Socket and Ratchet Sets, Screwdriver Set, Pliers, Spanner Sets, Hammers and Files etc. O/D: Approx. 4.5ft x 1.7ft x 3.2ft (L x W x H)
- 56 New 7ft Work Bench with 20 Drawers c/w Stainless Steel Worktop with Solid Wood Underneath, Anti-Slip Drawer Liners, Full-Extension 3 Section Ball-Bearing Slide Rails, Aluminium Drawer Handles, Integrated Locking System, Multiple Keys and Packed in Plastics. O/D: Approx. 223cm x

- 60cm x 97cm (L x W x H)
- 57 New 7ft Work Bench with 20 Drawers c/w Stainless Steel Worktop with Solid Wood Underneath, Anti-Slip Drawer Liners, Full-Extension 3 Section Ball-Bearing Slide Rails, Aluminium Drawer Handles, Integrated Locking System, Multiple Keys and Packed in Plastics. O/D: Approx. 223cm x 60cm x 97cm (L x W x H)
- 58 New 7ft Work Bench with 10 Drawers and 2 Cabinets c/w Stainless Steel Worktop with Solid Wood Underneath, Anti-Slip Drawer Liners, Full-Extension 3 Section Ball-Bearing Slide Rails, Aluminium Drawer Handles, Integrated Locking System, Multiple Keys and Packed in Plastics. O/D: Approx. 225cm x 60cm x 96cm (L x W x H)
- 59 New 7ft Work Bench with 10 Drawers and 2 Cabinets c/w Stainless Steel Worktop with Solid Wood Underneath, Anti-Slip Drawer Liners, Full-Extension 3 Section Ball-Bearing Slide Rails, Aluminium Drawer Handles, Integrated Locking System, Multiple Keys and Packed in Plastics. O/D: Approx. 225cm x 60cm x 96cm (L x W x H)
- 60 New Phixwell 200L Portable Diesel Fuel Tank c/w High-Density Polyethylene Plastic, 12V Electric Pump (40Lpm), 4m of 3/4in Hose Reel, High-Quality Auto-Shut-Off Fuel Nozzle, Air Breather, 4m of Electric Cable with Crocodile Clips, Lockable Hinged Lid and Forklift Pockets. O/D: 830mm x 760mm x 590mm (L x W x H)
- 61 New Phixwell 200L Portable Diesel Fuel Tank c/w High-Density Polyethylene Plastic, 12V Electric Pump (40Lpm), 4m of 3/4in Hose Reel, High-Quality Auto-Shut-Off Fuel Nozzle, Air Breather, 4m of Electric Cable with Crocodile Clips, Lockable Hinged Lid and Forklift Pockets. O/D: 830mm x 760mm x 590mm (L x W x H)
- 62 New Set of 3 Job Boxes c/w c/w Heavy-Duty Piano Hinge, Rugged Steel, Rust-Resistant Powder-Coated Finish, Carrying Handles and Padlock Mounts. Large O/D: Approx. 1143mm x 615mm x 700mm (L x W x H), Medium Approx. O/D: 9140mm x 430mm x 559mm (L x W x H) and Small Approx. O/D: 762mm x 420mm x 305mm (L x W x H)
- 63 New Set of 3 Job Boxes c/w c/w Heavy-Duty Piano Hinge, Rugged Steel, Rust-Resistant Powder-Coated Finish, Carrying Handles and Padlock Mounts. Large O/D: Approx. 1143mm x 615mm x 700mm (L x W x H), Medium Approx. O/D: 9140mm x 430mm x 559mm (L x W x H) and Small Approx. O/D: 762mm x 420mm x 305mm (L x W x H)
- 64 New Medium Job Box c/w Hydraulic Gas Lift Strut, Heavy-Duty Piano Hinge, Rugged Steel, Rust-Resistant Green Powder-Coated Finish, Integrated Carrying Handles and Twin Padlock Mounts. O/D: Approx. 914mm x 430mm x 559mm (L x W x H)
- 65 New Small Job Box c/w Steel Lid Chain, Heavy-Duty Piano Hinge, Rugged Steel, Rust-Resistant Yellow Powder-Coated Finish, Carrying Handles and Padlock Mount. O/D: Approx. 762mm x 420mm x 305mm (L x W x H)
- 66 New Ratchet Tie Down Straps and Toolbox c/w Qty of (24) Ratchets and Webbing, Claw Hooks, 8m / 27ft Heavy Duty Polyester Webbing and Individually Packaged. 16 x Ratchets and Webbing: 5000kg Lashing Capacity and 50mm Webbing Width and 8 x Ratchets and Webbing: 3000kg Lashing Capacity and 38mm Webbing Width.
- 67 New Ratchet Tie Down Straps and Toolbox c/w Qty of (24) Ratchets and Webbing, Claw Hooks, 8m / 27ft Heavy Duty Polyester Webbing and Individually Packaged. 16 x Ratchets and Webbing: 5000kg Lashing Capacity and 50mm Webbing Width and 8 x Ratchets and Webbing: 3000kg Lashing Capacity and 38mm Webbing Width.
- 68 New Ratchet Load Binder and Lashing Chain Set c/w Qty of (5) 9200lbs Ratchet Lever Chain Binders and Qty of (10) 9.5mm 20ft G70 Lashing Chain, Quenched and Tempered, Drop Forged Components, Robust Cast Steel, Reinforced Grab Hooks and Painted Finish.
- 69 New Ratchet Load Binder and Lashing Chain Set c/w Qty of (5) 9200lbs Ratchet Lever Chain Binders and Qty of (10) 9.5mm 20ft G70 Lashing Chain, Quenched and Tempered, Drop Forged Components, Robust Cast Steel, Reinforced Grab Hooks and Painted Finish.
- 70 New Ratchet Load Binder and Lashing Chain Set c/w Qty of (5) 9200lbs Ratchet Lever Chain Binders and Qty of (10) 9.5mm 20ft G70 Lashing Chain, Quenched and Tempered, Drop Forged Components, Robust Cast Steel, Reinforced Grab Hooks and Painted Finish.
- 71 New Ratchet Load Binder and Lashing Chain Set c/w Qty of (5) 5400lbs Ratchet Lever Chain

Binders and Qty of (10) 8mm 20ft G70 Lashing Chain, Quenched and Tempered, Drop Forged Components, Robust Cast Steel, Reinforced Grab Hooks and Painted Finish.

72 New Ratchet Load Binder and Lashing Chain Set c/w Qty of (5) 5400lbs Ratchet Lever Chain Binders and Qty of (10) 8mm 20ft G70 Lashing Chain, Quenched and Tempered, Drop Forged Components, Robust Cast Steel, Reinforced Grab Hooks and Painted Finish.

73 New Ratchet Load Binder and Lashing Chain Set c/w Qty of (5) 5400lbs Ratchet Lever Chain Binders and Qty of (10) 8mm 20ft G70 Lashing Chain, Quenched and Tempered, Drop Forged Components, Robust Cast Steel, Reinforced Grab Hooks and Painted Finish.