

James Armstrong

P and M - Sept 2026

- Tuesday 29th September 2026, 11am

online

LOT Nr.	Description
1	2017 Kawasaki Mule Pro DX Diesel 4WD Utility Vehicle with Cab and manual tipping body
2	Twin Axle Trailer with ramp back door and bench seating 13ft 5 inch x 5ft 3inch
3	2007 Ifor Williams Twin Axle Braked Plant Trailer 9ft x 5 ft with ramp door
4	Galvanized Single Axle ATV Trailer 5ft x 3ft 7inch
5	Berti Heavy Duty PTO Forestry Mulcher / Flail Mower
6	Single Axle trailer with game rack
7	Heavy Duty Twin Axle Forestry Log Trailer
8	1998 Hyster 5 Tonne Diesel Forklift Duplex Mast and Forks
9	Selection of Pallet Racking consisting of 5 x 7ft Uprights and 24 x 9ft Crossmembers.
10	Selection of Workshop Trestles and planks.
11	Selection of Adjustable Steel Acrow Props with Attachments.
12	Security Fencing Panels with Bases.
13	Mortar Tub with Carry Handles.
14	Titan 1500W Rotary Hammer
15	F4P 40-300mm Adjustable Hole Cutter Kit
16	Titan 1500W Rotary Hammer
17	Paslode Impulse F15 Lithium Nail Gun
18	Drieaz Single Phase Building Dryer.
19	Leica Rugby 410 DG rotating dual-grade laser level, Leica Rugby 620 self levelling rotary laser level, tripod and laser levelling staff
20	2 Cleaning rod sets
21	A set of two 110V Sealey Heaters on wheels
22	Werner Telescopic 2.6m Loft Ladder
23	Titan Single Phase Jack Hammer
24	Mac Allister Ladder roof ridge hook. H 99 x W 12 x D 53cm.
25	Selection of 5 Single Phase LED work mobile lights
26	DeWalt work bench
27	New mini radiator. L 50 x D 10 x H 30 cm.
28	New Cunningham Heavy Duty 250gsm Tarp 7mt x 9mt
29	Hitachi 110V electric hammer
30	Bosh 110V electric hammer
31	Evolution 110V electric circular saw
32	3 x 110V extension cables
33	Electric cement mixed
34	Titan Single phase electric table saw
35	Selection of hand tools
36	Selection of trims and plasterâ€™s beads
37	Selection of plumbing materials
38	Salamander shower/water pressure booster pump
39	2x 240V extension cables and hand cutter
40	Selection of various tools including pipe grips, clamps, drill bits
41	Selection of builders fittings including heat alarms, screws, hinges, hand saw and racket straps
42	Lichfield 5-Person tent
43	Proline golf bag, skis and salomon ski bag
44	Set of two 4ft step ladders

- 45 A set of two step ladders. 5ft and 4ft5inch
- 46 Werner 5ft 6inch fibreglass A frame step ladder
- 47 Werner aluminium multi purpose combination ladder. Maximum length 15ft
- 48 Low level platform & two step ladder
- 49 Lyte Two section aluminum roof ladders. Total length 24ft.
- 50 Mobile ladder with platform
- 51 Mobile ladder with platform
- 52 Hand truck
- 53 Hand truck
- 54 Gemini convertible hand truck
- 55 Company Direct - HJ17 HHT - 2017 Ford Transit 460 Trend Econetic Tech Minibus with twin rear wheels, Tachograph and 17 seats + driver. Two keys. Log Book.
- 56 Company Direct - EN17 DHJ - 2017 Ford Transit 460 Trend Econetic Tech Minibus with twin rear wheels, Tachograph and 17 seats + driver. Two keys. Log Book.
- 57 Liquidation Entry ASZ 2457 2016 Citroen Berlingo 625 En-Prise Blue HDI Diesel Van with PSV until 25th February 2027.
- 58 New D Hollandia Column electric tail lift with control box
- 59 New D Hollandia Column electric tail lift with control box
- 60 New LiuGong 9035FZTS 3.5-Tonne Mini Crawler Excavator c/w ROPS Fully Enclosed Cab, Yanmar Diesel Engine (Euro 5), 12in. Wide Rubber Tracks, 67in. 2-Way Dozer Blade, 24in. Toothed Digging Bucket, Auxiliary Hydraulic Hoses, Offset Boom, Zero Tail Swing, Hydraulic Quick Coupler and Air-Conditioning. O/D: Approx. 4810mm x 1700mm x 2500mm (L x W x H)
- 61 New Yellow Huayee HY10 1-Tonne Diesel Compact Mini Crawler Excavator c/w Heavy-Duty 2-Post Rollover Protective Structure (ROPS) Canopy, 7in. Wide Rubber Tracks, 37in. Backfill Dozer Blade, 12in. 3-Tooth Backhoe Digging Bucket with Side Cutters, LED Work-Light, 8L Fuel Tank Capacity, Auxiliary Hydraulic Hoses, Hydraulic Oil Gauge, Battery Isolator Shut-Off Switch, Multiple Keys, Electric Start, Lockable Engine Cover, Adjustable Seat and 2-Point Lap Seatbelt. O/D: Approx. 2870mm x 930mm x 2213mm (L x W x H)
- 62 New Orange AGT XK12G-R 1-Tonne Petrol Compact Mini Crawler Excavator c/w Heavy-Duty 4-Post Rollover Protective Structure (ROPS) Canopy, 7in. Wide Rubber Tracks, 39in. Backfill Dozer Blade, 12in. 3-Tooth Backhoe Digging Bucket with Side Cutters, Mechanical Rhumb, LED Work-Light, 6.6L Fuel Tank Capacity, Auxiliary Hydraulic Hoses, Battery Isolator Shut-Off Switch, Multiple Keys, Electric Start with Recoil Backup, Lockable Engine Cover and Adjustable Seat. O/D: Approx. 2925mm x 927mm x 2200mm (L x W x H) **Please Note Toolbox Not Included**
- 63 New 8ft x 4ft EconoMat Plus All-Weather Interlocking Ground Protection Mats c/w Qty of (10), Durable Hard-Wearing HDPE Plastic, 12mm Thickness, 30-Tonne Load Capacity, Non-Slip Traction Thread, Integrated Grab Handles, Pre-Drilled Connection Points and Supplied with Connectors. O/D: 2400mm x 1200mm (L x W)
- 64 New 8ft x 4ft EconoMat Plus All-Weather Interlocking Ground Protection Mats c/w Qty of (10), Durable Hard-Wearing HDPE Plastic, 12mm Thickness, 30-Tonne Load Capacity, Non-Slip Traction Thread, Integrated Grab Handles, Pre-Drilled Connection Points and Supplied with Connectors. O/D: 2400mm x 1200mm (L x W)
- 65 New 2026 JAC H Series 3-Tonne / 3000kg Counterbalance Diesel Forklift c/w Rollover Protective Structure (ROPS), 4.5m Triplex Mast, 1220mm Forks, Solid Tyres, Hydraulic Side Shift, Hydraulic Fork Positioners, Full Free Lift Mast, LED Light Kit, Stack Exhaust, Reverse Buzzer, Flashing Beacon, Rear View Mirrors, OPS Suspension Seat, Integrated Seat Belt, Multiple Keys and Toolbox incl. Maintenance Tools.
- 66 New 2026 JAC H Series 3-Tonne / 3000kg Dual-Wheel Counterbalance Diesel Forklift c/w Rollover Protective Structure (ROPS), 3m Duplex Mast, 1220mm Forks, Solid Tyres, Hydraulic Side Shift, LED Light Kit, Stack Exhaust, Reverse Buzzer, Flashing Beacon, Rear View Mirrors, OPS Suspension Seat, Integrated Seat Belt, Multiple Keys and Toolbox incl. Maintenance Tools.
- 67 New 2026 JAC H Series 3-Tonne / 3000kg Counterbalance Diesel Forklift c/w Rollover Protective Structure (ROPS), 3m Duplex Mast, 1220mm Forks, Solid Tyres, Hydraulic Side Shift, LED Light Kit,

- Stack Exhaust, Reverse Buzzer, Flashing Beacon, Rear View Mirrors, OPS Suspension Seat, Integrated Seat Belt, Multiple Keys and Toolbox incl. Maintenance Tools.
- 68 New JAC CBD15 Electric Pallet Truck c/w 1500kg Loading Capacity, Electric Lifting, Lowering and Driving, Curtis Controller, Mechanical Steering, Balance Wheel, Multiple Keys, Emergency Stop Button, 24V/75Ah Battery and Built-In Charger.
- 69 New Phixwell GFS-14kW Silent Diesel Generator c/w Deep Sea Electronics DSE7320 Auto Mains Failure Control Module, 2x 16A Single Phase Sockets, 1x 32A Single Phase European Socket, Automatic Start/Stop, On-Board Diagnostics, Ricardo Engine, 1500 rpm YHG Brushless Alternator, Fuel Gauge, Emergency Stop Button, Forklift Pockets, Lifting Eyes, Anti-Vibration Pads, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish, Stainless Steel Panel Locks, Multiple Keys, Operators Manual, Fully Grounded and 100L Internal Fuel Tank. O/D: 2100mm x 850mm x 1200mm (L x W x H)
- 70 New Phixwell GFS-45kW Silent Diesel Generator c/w Deep Sea Electronics DSE7320 Auto Mains Failure Control Module, 2x 16A Single Phase Sockets, 1x 32A Single Phase European Socket, Automatic Start/Stop, On-Board Diagnostics, Ricardo Engine, 1500 rpm YHG Brushless Alternator, Fuel Gauge, Emergency Stop Button, Forklift Pockets, Lifting Eyes, Anti-Vibration Pads, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish, Stainless Steel Panel Locks, Multiple Keys, Operators Manual, Fully Grounded and 100L Internal Fuel Tank. O/D: 2280mm x 930mm x 1300mm (L x W x H)
- 71 New 13ft Open Plan Home Office / Garden Room c/w Teak Coloured Wood Grain WPC Panels, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish, Durable SPC / LVT Wood Flooring, WPC Wood Effect Wall Panels, High Gloss White PVC Roof Panels, Insulated Floor, Walls and Ceiling, Double-Glazed Window and Door, Fully Wired Mains Connection, LED Lights, Multiple Plug Sockets with USB and USB-C Charging Ports, Multiple Keys, Forklift Pockets, Lifting Eyes and Approx. 90 sq ft of Floor Space. O/D: 13ft x 7ft x 8ft (L x W x H)
- 72 New Outdoor Gas Barbecue Unit c/w Coffee Coloured Wood Grain WPC Panels, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish, Range Cooker Extractor Hood, Barbecue Grill, Hotplate, Under Counter Storage, Sink, Plug Sockets and USB Charging Ports, Bottle Opener, LED Lights, Integrated Bluetooth Speakers, Electric Roller Blind Shutter Door, Fully Wired Mains Connection and Stainless Steel Interior Surfaces. O/D: 7ft x 3ft x 7.5ft (L x W x H)
- 73 New Outdoor All Year-Round Gas Barbecue Unit c/w Teak Coloured Wood Grain WPC Panels, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish, Barbecue Grill, Hotplate, Under Counter Storage, Sink, Multiple Plug Sockets, Bottle Opener, LED Lights, Remote-Controlled Electric Door, Fully Wired Mains Connection and Stainless Steel Interior Surfaces. O/D: 7ft x 3ft x 7.5ft (L x W x H)
- 74 New White S203012R 20ft Agricultural Dome Storage Shelter c/w Heavy-Duty 16 Gauge Single Trussed Steel Frame, Durable Galvanised Steel, High-Quality 500g PVC Shelter Canopy and Roll-Up Doors with Zippers. O/D: 20ft x 30ft x 12ft (L x W x H)
- 75 New 2026 Phixwell 10-Tonne Heavy-Duty Mobile Container Loading Ramp c/w Galvanised Anti-Skid Mesh Floor, Foldable Tail Plate, Safety Guard-Rails, Locking Chains, Solid Tyres, Wheel Chocks, Hydraulic Manual Lift, Wind-Down Jack Legs and Anti-Corrosion Water Blue Powder-Coated Finish. O/D: 11.4m x 2.1m (L x W)
- 76 New / One Trip 40ft COR-TEN Steel High Cube Multi-Door Shipping Container c/w 4 Side Opening Doors, End Doors, Heavy-Duty Anchor Points, Multiple Corrugated Air Vents, Lock Box, Lifting Eyes, 27mm Marine Plywood Floor and Jet Black Marine-Grade Paint. O/D: 40ft x 8ft x 9.5ft (L x W x H)
Buyer Must Be Self-Sufficient When Loading
- 77 New 9ft COR-TEN Steel Container / Secure Site Office c/w Lockable Pedestrian Side Door, Anti-Vandal Double-Glazed Window Equipped with Lever Lock Catch, End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor, Multiple Keys, Corrugated Air Vent and Light Grey Marine-Grade Paint. O/D: 2740mm x 2200mm x 2510mm (L x W x H)
- 78 New 8ft COR-TEN Steel Container / Secure Site Office c/w Lockable Pedestrian Side Door, Anti-Vandal Double-Glazed Window Equipped with Lever Lock Catch, End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor, Multiple Keys, Corrugated Air Vent and

- Light Grey Marine-Grade Paint. O/D: 2490mm x 2040mm x 2260mm (L x W x H)
- 79 New 7ft COR-TEN Steel Container / Secure Site Office c/w Lockable Pedestrian Side Door, Anti-Vandal Double-Glazed Window Equipped with Lever Lock Catch, End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor, Multiple Keys, Corrugated Air Vent and Light Grey Marine-Grade Paint. O/D: 2230mm x 1850mm x 2000mm (L x W x H)
- 80 New 6ft COR-TEN Steel Container / Secure Site Store c/w End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor, Corrugated Air Vent and Light Grey Marine-Grade Paint. O/D: 1980mm x 1640mm x 1740mm (L x W x H)
- 81 New 5ft COR-TEN Steel Container / Secure Site Store c/w End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor, Corrugated Air Vent. and Light Grey Marine-Grade Paint. O/D: 1720mm x 1460mm x 1490mm (L x W x H)
- 82 New 9ft COR-TEN Steel Container / Secure Site Office c/w Lockable Pedestrian Side Door, Anti-Vandal Double-Glazed Window Equipped with Lever Lock Catch, End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor, Multiple Keys, Corrugated Air Vent and Jet Black Marine-Grade Paint. O/D: 2740mm x 2200mm x 2510mm (L x W x H)
- 83 New 8ft COR-TEN Steel Container / Secure Site Office c/w Lockable Pedestrian Side Door, Anti-Vandal Double-Glazed Window Equipped with Lever Lock Catch, End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor, Multiple Keys, Corrugated Air Vent and Jet Black Marine-Grade Paint. O/D: 2490mm x 2040mm x 2260mm (L x W x H)
- 84 New 7ft COR-TEN Steel Container / Secure Site Office c/w Lockable Pedestrian Side Door, Anti-Vandal Double-Glazed Window Equipped with Lever Lock Catch, End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor, Multiple Keys, Corrugated Air Vent and Anthracite Grey Marine-Grade Paint. O/D: 2230mm x 1850mm x 2000mm (L x W x H)
- 85 New 6ft COR-TEN Steel Container / Secure Site Store c/w End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor, Corrugated Air Vent and Anthracite Grey Marine-Grade Paint. O/D: 1980mm x 1640mm x 1740mm (L x W x H)
- 86 New DCE DD2500 Portable PolyCUBE Diesel Storage / Dispensing Tank c/w 2500L Diesel Fuel Tank, Self-Bunded High-Density Polyethylene Plastic, 12V Electric Pump (56Lpm), Fuel Level Gauge, Air Breather, 10m of 3/4in. Fully-Integrated Retractable Hose Reel, High-Quality Auto-Shut-Off Digital Fuel Nozzle with Flow Meter, In-Line Fuel-Water Separator Filter, Air Breather, 4m Electric Cable with Heavy-Duty Crocodile Clips, Lockable Hinged Lid and Forklift Pockets. O/D: 1660mm x 2340mm x 1310mm (L x W x H)
- 87 New DCE DD980 Portable PolyCUBE Diesel Storage / Dispensing Tank c/w 1000L Diesel Fuel Tank, High-Density Polyethylene Plastic, 12V Electric Pump (56L/min), Fuel Level Gauge, 10m of 3/4in. Fully-Integrated Retractable Hose Reel, High-Quality Auto-Shut-Off Digital Fuel Nozzle with Flow Meter, In-Line Fuel-Water Separator Filter, Air Breather, 4m Electric Cable with Heavy-Duty Crocodile Clips, Integrated LED Work Light, Lockable Hinged Lid, Molded Tie-Down Strap Recesses, Threaded Drain Plug and Forklift Pockets. O/D: 1100mm x 1300mm x 1200mm (L x W x H)
- 88 New DCE DD400PLUS50 Portable Combi-Tank c/w 400L Diesel Fuel Tank and 50L Removable AdBlue Tank, High-Density Polyethylene Plastic, 12V Electric Pump (40Lpm), Fuel Level Gauge, 4m of 3/4in. Hose Reel, High-Quality Auto-Shut-Off Fuel Nozzle, Air Breather, 4m Electric Cable with Crocodile Clips, Lockable Hinged Lid, Multiple Keys, Molded Tie-Down Strap Recesses, Threaded Drain Plug and Forklift Pockets. AdBlue Tank c/w 12V Diaphragm Pump (17L/min), 4m of 3/4in. Hose, 4m Electric Cable with Crocodile Clips and Manual Nozzle. O/D: 850mm x 1150mm x 800mm (L x W x H)
- 89 New DCE DD400PLUS50 Portable Combi-Tank c/w 400L Diesel Fuel Tank and 50L Removable AdBlue Tank, High-Density Polyethylene Plastic, 12V Electric Pump (40Lpm), Fuel Level Gauge, 4m of 3/4in. Hose Reel, High-Quality Auto-Shut-Off Fuel Nozzle, Air Breather, 4m Electric Cable with Crocodile Clips, Lockable Hinged Lid, Multiple Keys, Molded Tie-Down Strap Recesses, Threaded Drain Plug and Forklift Pockets. AdBlue Tank c/w 12V Diaphragm Pump (17L/min), 4m of 3/4in. Hose, 4m Electric Cable with Crocodile Clips and Manual Nozzle. O/D: 850mm x 1150mm x 800mm (L x W x H)
- 90 New Phixwell DD210E 200L Portable Diesel Fuel Tank c/w High-Density Polyethylene Plastic, 12V

- Electric Pump (40Lpm), 4m of 3/4in. Hose Reel, High-Quality Auto-Shut-Off Fuel Nozzle, Air Breather, 4m of Electric Cable with Crocodile Clips, Lockable Hinged Lid, Threaded Drain Plug and Forklift Pockets. O/D: 830mm x 760mm x 590mm (L x W x H)
- 91 Unused Ex Display Phixwell DD210E 200L Portable Diesel Fuel Tank c/w High-Density Polyethylene Plastic, 12V Electric Pump (40Lpm), 4m of 3/4in. Hose Reel, High-Quality Auto-Shut-Off Fuel Nozzle, Air Breather, 4m of Electric Cable with Crocodile Clips, Lockable Hinged Lid, Threaded Drain Plug and Forklift Pockets. O/D: 830mm x 760mm x 590mm (L x W x H)
- 92 New Phixwell DD7801 75L Portable Diesel Fuel Caddy c/w High-Density Polyethylene Plastic, 12V Electric Pump (40L/min) , 4m of 3/in. Hose Reel, High-Quality Auto-Shut-Off Fuel Nozzle, 4m Electric Cable with Crocodile Clips, Built-In Lifting Handles and Integrated Wheels. O/D: 480mm x 530mm x 1050mm (L x W x H)
- 93 New 8ft Forklift Extension Toes (Qty of 2) c/w Heavy-Duty Steel, Tapered and Shaped Tips, Rounded Edges for Easy Load Entry, Dual-Layer Corrosion and Rust Resistant Black Powder-Coated Finish. Total Length: 96in / 2438mm, Compatible Fork Width: 5in / 127mm, Maximum Fork Thickness: 2in / 50mm.
- 94 New 8ft Forklift Extension Toes (Qty of 2) c/w Heavy-Duty Steel, Tapered and Shaped Tips, Rounded Edges for Easy Load Entry, Dual-Layer Corrosion and Rust Resistant Black Powder-Coated Finish. Total Length: 96in / 2438mm, Compatible Fork Width: 5in / 127mm, Maximum Fork Thickness: 2in / 50mm.
- 95 New 72in / 6ft Rotary Skid Steer Broom c/w Heavy Duty Poly Steel Wire Wafer Brush and 400 Litre Capacity Sweeper Bucket. Operating Width: 1830mm, Brush Diameter: 560mm and Operating Pressure: 16mpa.
- 96 New 220V Double Portable Construction Site Toilet, Each Cubicle c/w Duo Flush Toilet, Mixer Tap, Sink, LED Light, Extraction Fan, Toilet Paper Holder, Toilet Brush & Holder, Fully Wired Mains Connection, PVC Non-Slip Easy-Clean Flooring, Insulated Walls & Ceiling, Ventilation Panels, Forklift Pockets, Lifting Lugs and Multiple Keys. O/D: 7ft x 4.5ft x 8ft (L x W x H)
- 97 New 220V Single Portable Construction Site Toilet c/w Duo Flush Toilet, Mixer Tap, Sink, LED Light, Extraction Fan, Toilet Paper Holder, Toilet Brush & Holder, Fully Wired Mains Connection, PVC Non-Slip Easy-Clean Flooring, Insulated Walls & Ceiling, Ventilation Panels, Forklift Pockets, Lifting Lugs and Multiple Keys. O/D: 4ft x 4.5ft x 8ft (L x W x H)
- 98 New 220V Single Occupancy Portable Toilet Block c/w Combined 2 in 1 Sink and Duo Flush Toilet, Tap, LED Light, Extraction Fan, Fully Wired Mains Connection, PVC Non-Slip Easy-Clean Flooring, Floor Drain, Insulated Walls & Ceiling, Ventilation Panels, Triple Ribbon Windows, Self-Closing Door Hinge, Forklift Pockets, Lifting Lugs and Multiple Keys. O/D: 1.1 x 1.25m x 2.4m (L x W x H)
- 99 New 220V Single Portable Commercial Toilet Block c/w Coffee Coloured Wood Grain WPC Panels, Duo Flush Toilet, Tap, Sink, Mirror, LED Light, Extraction Fan, Toilet Paper Holder, Fully Wired Mains Connection, Plug Socket with USB and USB-C Charging Ports, PVC Non-Slip Easy-Clean Flooring, Floor Drain, Insulated Walls & Ceiling, Ventilation Panels, Single Ribbon Window, Self-Closing Door Hinge, Forklift Pockets, Lifting Lugs and Multiple Keys. O/D: 1.5m x 1.1m x 2.4m (L x W x H)
- 100 New 16ft x 6ft Electric Cantilever Sliding Entrance Gate c/w Teak Coloured Wood Grain WPC Panels, Counter-Balance Tail, Durable Steel, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish, MD-550 Electric Motor, Power Failure Manual Release Handle, Obstacle Detection Sensors, Wi-Fi + Bluetooth Control Module, Multiple Remote Control Key Fobs and Operators Manual. (Self-Supporting Gate)
- 101 New 16ft x 6ft Electric Cantilever Sliding Entrance Gate c/w Coffee Coloured Wood Grain WPC Panels, Counter-Balance Tail, Durable Steel, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish, MD-550 Electric Motor, Power Failure Manual Release Handle, Obstacle Detection Sensors, Wi-Fi + Bluetooth Control Module, Multiple Remote Control Key Fobs and Operators Manual. (Self-Supporting Gate)
- 102 New 16ft x 6ft Electric Cantilever Sliding Entrance Gate c/w Coffee Coloured Wood Grain WPC Panels, Counter-Balance Tail, Durable Steel, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish, MD-550 Electric Motor, Power Failure Manual Release Handle, Obstacle

- Detection Sensors, Wi-Fi + Bluetooth Control Module, Multiple Remote Control Key Fobs and Operators Manual. (Self-Supporting Gate)
- 103 New 14ft Bi-Parting Double Iron Gate c/w European Style Design, Hinges, Single Arc, Jet Black Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish and Fully Welded. Highest Height: Approx. 7.42ft / 2.26m and Lowest Height: Approx. 5.83ft / 1.77m.
- 104 New 14ft Bi-Parting Double Iron Gate c/w European Style Design, Hinges, Single Arc, Jet Black Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish and Fully Welded. Highest Height: Approx. 7.42ft / 2.26m and Lowest Height: Approx. 5.83ft / 1.77m.
- 105 New 14ft Bi-Parting Double Iron Gate c/w Artwork Horse Design, Hinges, Double Arc, Jet Black Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish and Fully Welded. Highest Height: Approx. 7.42ft / 2.26m and Lowest Height: Approx. 5.83ft / 1.77m.
- 106 Unused 14ft Bi-Parting Double Iron Gate c/w Artwork Tree Design, Hinges, Single Arc, Jet Black Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish and Fully Welded. Highest Height: Approx. 7.42ft / 2.26m and Lowest Height: Approx. 5.83ft / 1.77m. **See Extra Images for Transport Damage**
- 107 New Phixwell LB8000 (8kW) Heavy-Duty Portable Petrol Site Generator c/w Electric Key Start and Pull Cord Recoil, Operators Manual, Double Ended Spanner, Long Reach Spark Plug Box Wrench, 1 x 110V Plug Sockets and 1 x 230V Plug Socket, 12V Battery Charging Leads, 25L Fuel Tank Capacity, Wheel Kit and Handles.
- 108 New Phixwell LB7000 (7kW) Heavy-Duty Portable Petrol Site Generator c/w Electric Key Start and Pull Cord Recoil, Operators Manual, Double Ended Spanner, Long Reach Spark Plug Box Wrench, 2 x 110V Plug Sockets and 1 x 230V Plug Socket, 12V Battery Charging Leads, 25L Fuel Tank Capacity, Wheel Kit and Handles.
- 109 New Phixwell LB6000 (6kW) Heavy-Duty Portable Petrol Site Generator c/w Electric Key Start and Pull Cord Recoil, Operators Manual, Double Ended Spanner, Long Reach Spark Plug Box Wrench, 2 x 110V Plug Sockets and 1 x 230V Plug Socket, 12V Battery Charging Leads, 25L Fuel Tank Capacity, Wheel Kit and Handles.
- 110 New 6.5ft Heavy-Duty Stainless Steel Workbench c/w 6 Drawers and 1 Cabinet, 20mm Hard-Coated PETG Solid Wood Worktop, 18-Gauge Galvanised Steel, Stainless Steel Drawers, Anti-Slip Drawer Mats, Full-Extension 3 Section Ball-Bearing Slide Rails, Lockable Cabinet, Adjustable Cabinet Shelf, Dual Layer Corrosion and Rust-Resistant Olive Green and Jet Black Powder-Coated Finish and Packed in Plastics. O/D: Approx. 195cm x 53cm x 93cm (L x W x H)
- 111 New 4.5ft Heavy-Duty Stainless Steel Workbench c/w 7 Drawers and 2 Cabinets, 28mm Stainless Steel Worktop with Wooden Core, Anti-Slip Liners, Full-Extension 3 Section Ball-Bearing Slide Rails, Side Handle, Heavy-Duty Caster Wheels, Integrated Locking System, Multiple Keys, Dual Layer Corrosion and Rust Resistant Jet Black Powder-Coated Finish and Packed in Plastics. O/D: Approx. 144cm x 53cm x 94cm (L x W x H)
- 112 New Phixwell XXL 7 Drawer Tool Cabinet c/w Heavy-Duty Caster Wheels, 3 Section Ball-Bearing Slide Rails, Foam Drawer Inserts, Stainless Steel, Dual-Layer Corrosion and Rust Resistant Water Blue Powder-Coated Finish, Lockable Drawers, Multiple Keys, Side Handle and c/w Tools Inc. Socket and Ratchet Sets, Screwdriver Set, Pliers, Spanners etc. O/D: 800mm x 450mm x 950mm (L x W x H)
- 113 New 3-Piece Job Box Set. Large Job Box c/w Hydraulic Gas Lift Struts, Heavy-Duty Piano Hinge, Rugged Steel Construction, Rust-Resistant Red Powder-Coated Finish, Integrated Carrying Handles, Twin Padlock Mounts, Forklift Pockets and Pre-Drilled Anchor Points O/D: Approx. 1143mm x 615mm x 700mm (L x W x H) , Medium Job Box c/w Hydraulic Gas Lift Strut, Heavy-Duty Piano Hinge, Rugged Steel Construction, Rust-Resistant Green Powder-Coated Finish, Integrated Carrying Handles and Twin Padlock Mounts O/D: Approx. 914mm x 430mm x 559mm (L x W x H) and Small Job Box c/w Steel Lid Chain, Heavy-Duty Piano Hinge, Rugged Steel Construction, Rust-Resistant Yellow Powder-Coated Finish, Carrying Handles and Padlock Mount. O/D: Approx. 762mm x 420mm x 305mm (L x W x H)
- 114 New 3-Piece Job Box Set. Large Job Box c/w Hydraulic Gas Lift Struts, Heavy-Duty Piano Hinge, Rugged Steel Construction, Rust-Resistant Red Powder-Coated Finish, Integrated Carrying Handles,

Twin Padlock Mounts, Forklift Pockets and Pre-Drilled Anchor Points O/D: Approx. 1143mm x 615mm x 700mm (L x W x H) , Medium Job Box c/w Hydraulic Gas Lift Strut, Heavy-Duty Piano Hinge, Rugged Steel Construction, Rust-Resistant Green Powder-Coated Finish, Integrated Carrying Handles and Twin Padlock Mounts O/D: Approx. 914mm x 430mm x 559mm (L x W x H) and Small Job Box c/w Steel Lid Chain, Heavy-Duty Piano Hinge, Rugged Steel Construction, Rust-Resistant Yellow Powder-Coated Finish, Carrying Handles and Padlock Mount. O/D: Approx. 762mm x 420mm x 305mm (L x W x H)

- 115 New Small Job Box c/w Steel Lid Chain, Heavy-Duty Piano Hinge, Rugged Steel Construction, Rust-Resistant Yellow Powder-Coated Finish, Carrying Handles and Padlock Mount. O/D: Approx. 762mm x 420mm x 305mm (L x W x H)
- 116 New Small Job Box c/w Steel Lid Chain, Heavy-Duty Piano Hinge, Rugged Steel Construction, Rust-Resistant Yellow Powder-Coated Finish, Carrying Handles and Padlock Mount. O/D: Approx. 762mm x 420mm x 305mm (L x W x H)
- 117 New Ratchet Tie Down Straps & Toolbox c/w Qty of (24) Ratchets and Webbing, Claw Hooks, 8m / 27ft Heavy Duty Polyester Webbing and Individually Packaged. 16 x Ratchets and Webbing: 5000kg Lashing Capacity and 50mm Webbing Width & 8 x Ratchets and Webbing: 3000kg Lashing Capacity and 38mm Webbing Width.
- 118 New Ratchet Load Binder and Lashing Chain Set c/w Qty of (5) 9200lbs Ratchet Lever Chain Binders and Qty of (10) 8mm 20ft G70 Lashing Chain, Quenched and Tempered, Drop Forged Components, Robust Cast Steel, Reinforced Grab Hooks and Painted Finish.
- 119 New Ratchet Load Binder and Lashing Chain Set c/w Qty of (5) 5400lbs Ratchet Lever Chain Binders and Qty of (10) 8mm 20ft G70 Lashing Chain, Quenched and Tempered, Drop Forged Components, Robust Cast Steel, Reinforced Grab Hooks and Painted Finish.