

James Armstrong

October 2026 P&M

online

LOT Nr.	Description
1	Administration Entry - NRZ 7729 - 2018 Peugeot Expert PRO Diesel Van. Log Book
2	Administration Entry - JRZ 1214 - 2015 Land Rover Discovery Sport HSE Diesel car with MOT to September 2027
3	Finance Entry - WGZ 5276 2022 Fiat Fiorino 16V Tecnico M - Jet diesel van with PSV to May 2027. Log book
4	Administration Entry - 2022 CForce 450S Petrol 4WD Quad
5	Administration Entry - ORZ 3629 2018 Range Rover Velar HSE diesel car. Log book
6	Administration Entry - 2004 Benford 9 ton 4WD dumper
7	Administration Entry - VFZ 8967 2015 Peugeot Boxer 335 Professional L3H2HDI diesel van with PSV to January 2027. Log book
8	Company Direct - HJ17 HHT - 2017 Ford Transit 460 Trend Econetic Tech Minibus with twin rear wheels, Tachograph and 17 seats + driver. Two keys. Log Book.
9	Company Direct - EN17 DHJ - 2017 Ford Transit 460 Trend Econetic Tech Minibus with twin rear wheels, Tachograph and 17 seats + driver. Two keys. Log Book.
10	New Yellow Huayee HY10 1-Tonne Diesel Compact Mini Crawler Excavator c/w Heavy-Duty 2-Post Rollover Protective Structure (ROPS) Canopy, 7in. Wide Rubber Tracks, 37in. Backfill Dozer Blade, 12in. 3-Tooth Backhoe Digging Bucket with Side Cutters, LED Work-Light, 8L Fuel Tank Capacity, Auxiliary Hydraulic Hoses, Hydraulic Oil Gauge, Battery Isolator Shut-Off Switch, Multiple Keys, Electric Start, Lockable Engine Cover, Adjustable Seat and 2-Point Lap Seatbelt. O/D: Approx. 2870mm x 930mm x 2213mm (L x W x H)
11	New Orange AGT XK12G-R 1-Tonne Petrol Compact Mini Crawler Excavator c/w Heavy-Duty 4-Post Rollover Protective Structure (ROPS) Canopy, 7in. Wide Rubber Tracks, 39in. Backfill Dozer Blade, 12in. 3-Tooth Backhoe Digging Bucket with Side Cutters, Mechanical Thumb, LED Work-Light, 6.6L Fuel Tank Capacity, Auxiliary Hydraulic Hoses, Battery Isolator Shut-Off Switch, Multiple Keys, Electric Start with Recoil Backup, Lockable Engine Cover and Adjustable Seat. O/D: Approx. 2925mm x 927mm x 2200mm (L x W x H) **Please Note Toolbox Not Included**
12	New 8ft x 4ft EconoMat Plus All-Weather Interlocking Ground Protection Mats c/w Qty of (10), Durable Hard-Wearing HDPE Plastic, 12mm Thickness, 30-Tonne Load Capacity, Non-Slip Traction Thread, Integrated Grab Handles and Pre-Drilled Connection Points. O/D: 2400mm x 1200mm
13	New 8ft x 4ft EconoMat Plus All-Weather Interlocking Ground Protection Mats c/w Qty of (10), Durable Hard-Wearing HDPE Plastic, 12mm Thickness, 30-Tonne Load Capacity, Non-Slip Traction Thread, Integrated Grab Handles and Pre-Drilled Connection Points. O/D: 2400mm x 1200mm
14	New Outdoor Gas Barbecue Unit c/w Coffee Coloured Wood Grain WPC Panels, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish, Range Cooker Extractor Hood, Barbecue Grill, Hotplate, Under Counter Storage, Mixer Tap, Sink, Plug Sockets and USB Charging Ports, Bottle Opener, LED Lights, Integrated Bluetooth Speakers, Electric Roller Blind Shutter Door, Fully Wired Mains Connection and Stainless Steel Interior Surfaces. O/D: 7ft x 3ft x 7.5ft (L x W x H)
15	New White Golden Mount S203012R 30ft Agricultural Dome Storage Shelter c/w Heavy-Duty 16 Gauge Single Trussed Steel Frame, Durable Steel with Rust-Resistant Powder-Coated Finish, High-Quality 500g PVC Shelter Canopy, Roll-Up Doors with Zippers and 600 sq ft of Floor Space. O/D: 30ft x 20ft x 12ft (L x W x H)
16	New White Golden Mount S203012R 30ft Agricultural Dome Storage Shelter c/w Heavy-Duty 16 Gauge Single Trussed Steel Frame, Durable Steel with Rust-Resistant Powder-Coated Finish, High-Quality 500g PVC Shelter Canopy, Roll-Up Doors with Zippers and 600 sq ft of Floor Space. O/D: 30ft x 20ft x 12ft (L x W x H)
17	New GS2119 19ft Double Garage Metal Shed c/w 2 x Front Frame Door Openings, Reversible

- Personnel Entry Door, High-Strength 16 Gauge Steel Frames with Rust-Resistant Powder-Coated Finish, High-Quality Electro-Galvanised Corrugated Steel Panels, Roof & Wall Bracings, Anchors, Anti-Corrosion Cream Powder-Coated Finish and 400 sq ft of Floor Space. O/D: 19ft x 21ft x 12.5ft (L x W x H) **Please Note Front Doors Not Included**
- 18 New 2026 Phixwell 10-Tonne Heavy-Duty Mobile Container Loading Ramp c/w Galvanised Anti-Skid Mesh Floor, Foldable Tail Plate, Safety Guard-Rails, Locking Chains, Solid Tyres, Wheel Chocks, Hydraulic Manual Lift, Wind-Down Jack Legs and Anti-Corrosion Water Blue Powder-Coated Finish. Lifting Height: Approx. 1.1m - 1.8m and O/D: 11.4m x 2.1m (L x W)
 - 19 New 12ft COR-TEN Steel Container / Secure Site Office c/w Lockable Pedestrian Side Door, Anti-Vandal Double-Glazed Window Equipped with Lever Lock Catch, End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor, Multiple Keys, Corrugated Air Vent and Light Grey Marine-Grade Paint. O/D: 3658mm x 2200mm x 2510mm (L x W x H)
 - 20 New 9ft COR-TEN Steel Container / Secure Site Office c/w Lockable Pedestrian Side Door, Anti-Vandal Double-Glazed Window Equipped with Lever Lock Catch, End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor, Multiple Keys, Corrugated Air Vent and Light Grey Marine-Grade Paint. O/D: 2750mm x 2230mm x 2510mm (L x W x H)
 - 21 New 8ft COR-TEN Steel Container / Secure Site Office c/w Lockable Pedestrian Side Door, Anti-Vandal Double-Glazed Window Equipped with Lever Lock Catch, End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor, Multiple Keys, Corrugated Air Vent and Light Grey Marine-Grade Paint. O/D: 2490mm x 2040mm x 2260mm (L x W x H)
 - 22 New 7ft COR-TEN Steel Container / Secure Site Office c/w Lockable Pedestrian Side Door, Anti-Vandal Double-Glazed Window Equipped with Lever Lock Catch, End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor, Multiple Keys, Corrugated Air Vent and Light Grey Marine-Grade Paint. O/D: 2230mm x 1850mm x 2000mm (L x W x H)
 - 23 New 6ft COR-TEN Steel Container / Secure Site Store c/w End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor, Corrugated Air Vent and Light Grey Marine-Grade Paint. O/D: 1980mm x 1640mm x 1740mm (L x W x H)
 - 24 New 5ft COR-TEN Steel Container / Secure Site Store c/w End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor, Corrugated Air Vent. and Light Grey Marine-Grade Paint. O/D: 1720mm x 1460mm x 1490mm (L x W x H)
 - 25 New DCE DD400+50 Portable Combi-Tank c/w 400L Diesel Fuel Tank and 50L Removable AdBlue Tank, High-Density Polyethylene Plastic, 12V Electric Pump (40Lpm), Fuel Level Gauge, 4m of 3/4in. Hose Reel, High-Quality Auto-Shut-Off Fuel Nozzle, Air Breather, 4m Electric Cable with Crocodile Clips, Lockable Hinged Lid, Multiple Keys, Molded Tie-Down Strap Recesses, Lockable Hinged Lid, Multiple Keys, Threaded Drain Plug and Forklift Pockets. AdBlue Tank c/w 12V Diaphragm Pump (17L/min), 4m of 3/4in. Hose, 4m Electric Cable with Crocodile Clips and Manual Nozzle. O/D: 850mm x 1150mm x 800mm (L x W x H)
 - 26 Unused Ex Display Phixwell DD210E 200L Portable Diesel Fuel Tank c/w High-Density Polyethylene Plastic, 12V Electric Pump (40Lpm), 4m of 3/4in. Hose Reel, High-Quality Auto-Shut-Off Fuel Nozzle, Air Breather, 4m of Electric Cable with Crocodile Clips, Lockable Hinged Lid, Threaded Drain Plug and Forklift Pockets. O/D: 830mm x 760mm x 590mm (L x W x H) **Please Note It Comes With Minor Marks and Scratches**
 - 27 New Phixwell DD7801 75L Portable Diesel Fuel Caddy c/w High-Density Polyethylene Plastic, 12V Electric Pump (40L/min) , 4m of 3/4in. Hose Reel, High-Quality Auto-Shut-Off Fuel Nozzle, 4m Electric Cable with Crocodile Clips, Built-In Lifting Handles and Integrated Wheels. O/D: 480mm x 530mm x 1050mm (L x W x H)
 - 28 New 8ft Forklift Extension Toes (Qty of 2) c/w Heavy-Duty Steel, Tapered and Shaped Tips, Rounded Edges for Easy Load Entry, Dual-Layer Corrosion and Rust Resistant Black Powder-Coated Finish. Total Length: 96in / 2438mm, Compatible Fork Width: 5in / 127mm, Maximum Fork Thickness: 2in / 50mm.
 - 29 New 1CY Forklift Tipping Skip c/w Heavy-Duty Steel, Long Forklift Pockets, Self-Dumping Design with Locking Latch and 1250kg Load Capacity. O/D: Approx. 1.1m x 1.1m x 1.0m (L x W x H)
 - 30 New 2026 220V Single Portable Toilet Block c/w High-Grade Steel Frame, Duo Flush Toilet, Cold

- Tap, Sink, LED Light, Extraction Fan, Stainless Toilet Paper Holder, Toilet Brush & Holder, Coat Hook, Fully Wired Mains Connection, 12mm Rigid PVC Base, 3mm Non-Slip Wear Resistant Flooring, 50mm EPS Composite Insulated Door, Walls & Ceiling, Ventilation Panels, Forklift Pockets, Lifting Lugs, Anchor Points, Rawbolts and Multiple Keys. O/D: 4ft x 4.5ft x 8ft (L x W x H)
- 31 New 2026 220V Portable Toilet & Shower Block c/w High-Grade Steel Frame, Duo Flush Toilet, Mixer Tap, Sink, LED Light, Extraction Fans, Stainless Toilet Paper Holder, Toilet Brush & Holder, Fully Wired Mains Connection, 12mm Rigid PVC Base, 3mm Non-Slip Wear Resistant Flooring, 50mm EPS Composite Insulated Door, Walls & Ceiling, Wall-Mounted Shower & Mixer Tap, Stainless Soap Dish, Towel Hook, Shower Curtain, Stainless Steel Floor Drain, Ventilation Panels, Forklift Pockets, Lifting Lugs, Anchor Points, Rawbolts and Multiple Keys. O/D: 7ft x 4.5ft x 8ft (L x W x H)
- 32 New 16ft x 6ft Electric Cantilever Sliding Entrance Gate c/w Teak Coloured Wood Grain WPC Panels, 5ft Long Counter-Balance Tail, Durable Steel, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish, MD-550 Electric Motor, Power Failure Manual Release Handle, Obstacle Detection Sensors, Wi-Fi + Bluetooth Control Module, Multiple Remote Control Key Fobs and Operators Manual. (Self-Supporting Gate)
- 33 New 16ft x 6ft Electric Cantilever Sliding Entrance Gate c/w Coffee Coloured Wood Grain WPC Panels, 5ft Long Counter-Balance Tail, Durable Steel, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish, MD-550 Electric Motor, Power Failure Manual Release Handle, Obstacle Detection Sensors, Wi-Fi + Bluetooth Control Module, Multiple Remote Control Key Fobs and Operators Manual. (Self-Supporting Gate)
- 34 New 14ft Bi-Parting Double Steel Gate c/w European Style Design, Hinges, Single Arc, Jet Black, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish and Fully Welded. Highest Height: Approx. 7.42ft / 2.26m and Lowest Height: Approx. 5.83ft / 1.77m.
- 35 New 14ft Bi-Parting Double Steel Gate c/w Artwork Star Design, Hinges, Double Arc, Jet Black, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish and Fully Welded. Highest Height: Approx. 7.42ft / 2.26m and Lowest Height: Approx. 5.83ft / 1.77m.
- 36 New 14ft Bi-Parting Double Steel Gate c/w Artwork Horse Design, Hinges, Double Arc, Jet Black, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish and Fully Welded. Highest Height: Approx. 7.42ft / 2.26m and Lowest Height: Approx. 5.83ft / 1.77m.
- 37 New 14ft Bi-Parting Double Steel Gate c/w Artwork Tree Design, Hinges, Single Arc, Jet Black, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish and Fully Welded. Highest Height: Approx. 7.42ft / 2.26m and Lowest Height: Approx. 5.83ft / 1.77m.
- 38 New Phixwell LB8000 (8kW) Heavy-Duty Portable Petrol Site Generator c/w Electric Key Start and Pull Cord Recoil, Operators Manual, Double Ended Spanner, Long Reach Spark Plug Box Wrench, 1 x 110V Plug Sockets and 1 x 230V Plug Socket, 12V Battery Charging Leads, 25L Fuel Tank Capacity, Wheel Kit and Handles.
- 39 New Phixwell LB8000 (8kW) Heavy-Duty Portable Petrol Site Generator c/w Electric Key Start and Pull Cord Recoil, Operators Manual, Double Ended Spanner, Long Reach Spark Plug Box Wrench, 1 x 110V Plug Sockets and 1 x 230V Plug Socket, 12V Battery Charging Leads, 25L Fuel Tank Capacity, Wheel Kit and Handles.
- 40 New 7ft Garage Storage Cabinet c/w 35 Drawers and 1 Cabinet, Anti-Slip Drawer Liners, Full-Extension 3 Section Ball-Bearing Slide Rails, 18-Gauge Galvanised Steel Stainless Steel, Aluminium Drawer Handles, Integrated Locking System, Dual Layer Corrosion and Rust-Resistant Jet Black Powder-Coated Finish, Multiple Keys and Packed in Plastics. O/D: Approx. 216cm x 57cm x 145cm (L x W x H)
- 41 New Ratchet Tie Down Straps & Toolbox c/w Qty of (24) Ratchets and Webbing, Claw Hooks, 8m / 27ft Heavy Duty Polyester Webbing and Individually Packaged. 16 x Ratchets and Webbing: 5000kg Lashing Capacity and 50mm Webbing Width & 8 x Ratchets and Webbing: 3000kg Lashing Capacity and 38mm Webbing Width.
- 42 New Ratchet Tie Down Straps & Toolbox c/w Qty of (24) Ratchets and Webbing, Claw Hooks, 8m / 27ft Heavy Duty Polyester Webbing and Individually Packaged. 16 x Ratchets and Webbing: 5000kg Lashing Capacity and 50mm Webbing Width & 8 x Ratchets and Webbing: 3000kg Lashing Capacity

and 38mm Webbing Width.

- 43 New Ratchet Load Binder and Lashing Chain Set c/w Qty of (5) 5400lbs Ratchet Lever Chain Binders and Qty of (10) 8mm 20ft G70 Lashing Chain, Quenched and Tempered, Drop Forged Components, Robust Cast Steel, Reinforced Grab Hooks and Painted Finish.
- 44 New Ratchet Load Binder and Lashing Chain Set c/w Qty of (5) 5400lbs Ratchet Lever Chain Binders and Qty of (10) 8mm 20ft G70 Lashing Chain, Quenched and Tempered, Drop Forged Components, Robust Cast Steel, Reinforced Grab Hooks and Painted Finish.
- 45 New Small Job Box c/w Steel Lid Chain, Heavy-Duty Piano Hinge, Rugged Steel Construction, Rust-Resistant Yellow Powder-Coated Finish, Carrying Handles and Padlock Mount. O/D: Approx. 762mm x 420mm x 305mm (L x W x H)