James Armstrong

November 2026 P&M
online

LOT Nr.	Description
1	Finance Entry - 2013 JCB 535-140 Hi-Viz Telehandler with 14 m reach and forks. Serial Number JCB5APXGT02178776
2	Finance Entry - 2020 INMESOL IKRN-066 67kVA Diesel Silent Generator with 230V and 400V Outlets.
3	Finance Entry - DEN-JET CE20-500 Industrial High Pressure Water Jetting Machine 500 Bar 15kw 3 Phase with high pressure hoses and fittings. Serial Number 02013400521
4	Finance Entry - DEN-JET CE20-500 Industrial High Pressure Water Jetting Machine 500 Bar 14.7kw 3 Phase with high pressure hoses and fittings. Serial Number 02010140218
5	Finance Entry - DEN-JET CD25-500 Industrial High Pressure Water Jetting Machine 500 Bar 18.7kw with high pressure hoses and jetting lance. Serial Number 022250919
6	Finance Entry - DEN-JET CD25-500 Industrial High Pressure Water Jetting Machine 500 Bar 18.7kw with high pressure hoses and jetting lance. Note: Fire Damage Serial Number 025250819
7	Liquidation Entry - PGZ 8251 - 2020 Peugeot Partner Diesel Panel Van with PSV until June 2027.
8	Liquidation Entry - DL22 UHN - 2022 Vauxhall Combo Diesel Panel Van with PSV until August 2027.
9	TEZ 1641 - 2008 Renault Master dCi 120 Diesel High-Roof Ambulance Vehicle.
10	XKZ 1544 - 2009 Renault Master dCi 120 Diesel High-Roof Ambulance Vehicle.
11	RJZ 4062 - 2010 Volvo XC60 Diesel 5 Door SUV.
12	XFZ 8734 - 2012 BMW 3 Series Diesel.
13	Liquidation Entry - YD17 PHN - 2017 Audi A3 5 Door Diesel Hatchback .
14	Liquidation Entry - TA05 LON - 2014 Skoda Octavia 5 Door Diesel Estate.
15	Finance Entry - HMZ 7331 - 2025 Toyota Proace City Diesel Panel Van.
16	WXI 188 2007 Discovery 2.7 TDV6 HSE Diesel Automatic 7 Seat, 40k miles with MOT to June 2027. Expedition rack and ladder and full black leather interior. 2 keys. Log book. Cherished plate will be removed
17	Liquidation Entry - NJ69 MKE 2019 Citroen Berlingo 1000 Driver BHDI Diesel Panel Van with PSV until February 2027.
18	Company Direct - CA74 EGC 2024 Citroen Berlingo Diesel Panel Van.
19	UGZ 9464 2021 Fiat Orion E 16 Seater Electric MiniBus. Note: Non-Runner
20	2 x The Pickhill Bantam electric welders. S/N: 25655 & 98458. Single Phase.
21	Mecc Alte Spa SA1/170 combination welder and generator. Single phase.
22	Ridgid 1822 Pipe cutter, 110V, complete with various pipe-cutting fittings. S/N: 350355.
23	Ridgid 1224 Pipe Cutter, 110V, complete with various cutting heads. S/N: 600188
24	Thomas 220 SAR bandsaw. 3 Phase.
25	Cincinnati Milacron Pillar drill. 3 Phase.
26	Pickhill Engineers Welder. Single phase. S/N 5370.
27	2013 Nuair 240V Compressor.
28	2 x 2007 Rotex Variocistern 750l water tanks.
29	Pallet of various tools including hot plate, 110V Hammer drills & pipe cutters.

30 Gas cylinder trolley
31 Gas cylinder trolley
32 Yale 1-Ton Manual Hand Chain Hoist. S/N: 823111
33 Pipe Benders
34 Fibreglass Step Ladder.
35 Fibreglass Podium Ladder.
36 Fibreglass Podium Ladder.
37 Aluminium Podium Ladder.
38 Step Ladder. 3m H.
39 REMS Pipe Expanders
40 New Orange AGT XK12G-R 1-Tonne Compact Mini Crawler Excavator - Rato Petrol Engine c/w 4-Post ROPS Canopy, 7in. Wide Rubber Tracks, 39in. Backfill Dozer Blade, 12in. 3-Tooth Backhoe Digging Bucket with Side Cutters, Mechanical Thumb, LED Work-Light, 6.6L Fuel Tank Capacity, Auxiliary Hydraulic Hoses, Battery Isolator Shut-Off Switch, Multiple Keys, Electric Start with Recoil Backup, Lockable Engine Cover and Adjustable Seat. O/D: Approx. 2925mm x 927mm x 2200mm (L x W x H) **Please Note Toolbox Not Included**
41 New 2.4m x 1.2m All-Weather Interlocking Ground Protection Mats - Set of 10 c/w Durable Hard-Wearing HDPE Plastic, 12mm Thickness, 30-Tonne+ Load Capacity, Non-Slip Traction Tread, Integrated Grab Handles and Pre-Drilled Connection Points. O/D: 2400mm x 1200mm x 12mm (L x W x H)
42 New Outdoor Gas Barbecue Unit - Electric Roller Shutter Blind and Coffee Wood Grain WPC Panels c/w Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish, Range Cooker Extractor Hood, Barbecue Grill, Hotplate, Under Counter Storage, Mixer Tap, Sink, Plug Sockets and USB Charging Ports, Bottle Opener, LED Lights, Integrated Bluetooth Speakers, Fully Wired Mains Connection and Stainless Steel Interior Surfaces. O/D: 7ft x 3ft x 7.5ft (L x W x H)
43 New Golden Mount 30ft Agricultural Dome Storage Shelter - White S203012R c/w Heavy-Duty 16 Gauge Single Trussed Steel Frame, Durable Steel with Rust-Resistant Powder-Coated Finish, High-Quality 500g PVC Shelter Canopy, Roll-Up Doors with Zippers and 600 sq ft of Floor Space. O/D: 30ft x 20ft x 12ft (L x W x H)
44 New Golden Mount 30ft Agricultural Dome Storage Shelter - White S203012R c/w Heavy-Duty 16 Gauge Single Trussed Steel Frame, Durable Steel with Rust-Resistant Powder-Coated Finish, High-Quality 500g PVC Shelter Canopy, Roll-Up Doors with Zippers and 600 sq ft of Floor Space. O/D: 30ft x 20ft x 12ft (L x W x H)
45 New 2026 Phixwell 10-Tonne Heavy-Duty Mobile Container Loading Ramp - Model: CDDCQY-10T c/w Anti-Skid Mesh Floor, Foldable Tail Plate, Safety Guard-Rails, Locking Chains, Solid Tyres, Wheel Chocks, Hydraulic Manual Lift, Wind-Down Jack Legs and Anti-Corrosion Water Blue Powder-Coated Finish. Lifting Height: Approx. 1.1m - 1.8m and O/D: 11.4m x 2.1m (L x W)
46 New / One Trip 40ft COR-TEN Steel High Cube Multi-Door Shipping Container - Light Grey Marine-Grade Paint c/w 4 Side Opening Doors, End Doors, Heavy-Duty Anchor Points, Multiple Corrugated Air Vents, Lock Box, Lifting Eyes and 27mm Marine Plywood Floor. O/D: 40ft x 8ft x 9.5ft (L x W x H) **Buyer Must Be Self-Sufficient When Loading**
47 New 8ft COR-TEN Steel Container / Secure Site Office - Light Grey Marine-Grade Paint c/w Lockable Pedestrian Side Door, Anti-Vandal Double-Glazed Window Equipped with Lever Lock Catch, End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor, Multiple Keys and Corrugated Air Vent. O/D: 2490mm x 2040mm x 2260mm (L x W x H)
48 New 8ft COR-TEN Steel Container / Secure Site Office - Slate Grey Marine-Grade Paint c/w Lockable Pedestrian Side Door, Anti-Vandal Double-Glazed Window Equipped with Lever Lock Catch, End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor, Multiple Keys and Corrugated Air Vent. O/D: 2490mm x 2040mm x 2260mm (L x W x H)
49 New 8ft COR-TEN Steel Container / Secure Site Office - Slate Grey Marine-Grade Paint c/w Lockable Pedestrian Side Door, Anti-Vandal Double-Glazed Window Equipped with Lever Lock Catch, End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor, Multiple Keys and Corrugated Air Vent. O/D: 2490mm x 2040mm x 2260mm (L x W x H)

50 New 7ft COR-TEN Steel Container / Secure Site Office - Light Grey Marine-Grade Paint c/w Lockable Pedestrian Side Door, Anti-Vandal Double-Glazed Window Equipped with Lever Lock Catch, End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor, Multiple Keys and Corrugated Air Vent. O/D: 2230mm x 1850mm x 2000mm (L x W x H)

51 New 7ft COR-TEN Steel Container / Secure Site Office - Light Grey Marine-Grade Paint c/w Lockable Pedestrian Side Door, Anti-Vandal Double-Glazed Window Equipped with Lever Lock Catch, End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor, Multiple Keys and Corrugated Air Vent. O/D: 2230mm x 1850mm x 2000mm (L x W x H)

52 New 6ft COR-TEN Steel Container / Secure Site Store - Light Grey Marine-Grade Paint c/w End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor and Corrugated Air Vent. O/D: 1980mm x 1640mm x 1740mm (L x W x H)

53 New 5ft COR-TEN Steel Container / Secure Site Store - Light Grey Marine-Grade Paint c/w End Doors, Lock Box, Forklift Pockets, Lifting Eyes, 18mm Thick Marine Plywood Floor and Corrugated Air Vent. O/D: 1720mm x 1460mm x 1490mm (L x W x H)

54 New Phixwell DD210E Portable Diesel Fuel Tank - 200L Capacity c/w High-Density Polyethylene Plastic, 12V Electric Pump (40Lpm), 4m of 3/4in. Hose Reel, High-Quality Auto-Shut-Off Fuel Nozzle, Air Breather, 4m of Electric Cable with Crocodile Clips, Lockable Hinged Lid, Threaded Drain Plug and Forklift Pockets. O/D: 830mm x 760mm x 590mm (L x W x H)

55 New Phixwell DD210E Portable Diesel Fuel Tank - 200L Capacity c/w High-Density Polyethylene Plastic, 12V Electric Pump (40Lpm), 4m of 3/4in. Hose Reel, High-Quality Auto-Shut-Off Fuel Nozzle, Air Breather, 4m of Electric Cable with Crocodile Clips, Lockable Hinged Lid, Threaded Drain Plug and Forklift Pockets. O/D: 830mm x 760mm x 590mm (L x W x H)

56 New Phixwell DD7801 Portable Diesel Fuel Caddy - 75L Capacity c/w High-Density Polyethylene Plastic, 12V Electric Pump (40Lpm) , 4m of 3/in. Hose Reel, High-Quality Auto-Shut-Off Fuel Nozzle, 4m Electric Cable with Crocodile Clips, Built-In Lifting Handles and Integrated Wheels. O/D: 480mm x 530mm x 1050mm (L x W x H)

57 New 2026 JAC H Series 3-Tonne Counterbalance Diesel Forklift - 3m Duplex Mast c/w ROPS Canopy, 1220mm Forks, Solid Tyres, Hydraulic Side Shift, LED Light Kit, Stack Exhaust, Reverse Buzzer, Flashing Beacon, Rear View Mirrors, OPS Suspension Seat, Integrated Seat Belt, Multiple Keys and Toolbox incl. Maintenance Tools.

58 New 8ft Heavy-Duty Steel Forklift Extension Toes - Set of 2 c/w Tapered and Shaped Tips, Rounded Edges, Jet Black Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish. Total Length: 96in. Compatible Fork Width: 5in. and Maximum Fork Thickness: 2in.

59 New 2026 Bastone 220V Single Portable Toilet Block - Model: 002-03-001 c/w High-Grade Steel Frame, Duo Flush Toilet, Cold Tap, Sink, LED Light, Extraction Fan, Stainless Toilet Paper Holder, Toilet Brush & Holder, Coat Hook, Fully Wired Mains Connection, 12mm Rigid PVC Base, 3mm Non-Slip Wear Resistant Flooring, 50mm EPS Composite Insulated Door, Walls & Ceiling, Ventilation Panels, Forklift Pockets, Lifting Lugs, Anchor Points, Rawbolts and Multiple Keys. O/D: 4ft x 4.5ft x 8ft (L x W x H)

60 New 2026 Bastone 220V Single Portable Toilet Block - Model: 002-03-001 c/w High-Grade Steel Frame, Duo Flush Toilet, Cold Tap, Sink, LED Light, Extraction Fan, Stainless Toilet Paper Holder, Toilet Brush & Holder, Coat Hook, Fully Wired Mains Connection, 12mm Rigid PVC Base, 3mm Non-Slip Wear Resistant Flooring, 50mm EPS Composite Insulated Door, Walls & Ceiling, Ventilation Panels, Forklift Pockets, Lifting Lugs, Anchor Points, Rawbolts and Multiple Keys. O/D: 4ft x 4.5ft x 8ft (L x W x H)

61 New 16ft x 6ft Electric Cantilever Sliding Entrance Gate - Teak Coloured Wood Grain WPC Panels c/w 5ft Counter-Balance Tail, Durable Steel, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish, MD-550 Electric Motor, Power Failure Manual Release Handle, Obstacle Detection Sensors, Wi-Fi + Bluetooth Control Module, Multiple Remote Control Key Fobs and Operators Manual. (Self-Supporting Gate)

62 New 16ft x 6ft Electric Cantilever Sliding Entrance Gate - Teak Coloured Wood Grain WPC Panels c/w 5ft Counter-Balance Tail, Durable Steel, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish, MD-550 Electric Motor, Power Failure Manual Release Handle, Obstacle

Detection Sensors, Wi-Fi + Bluetooth Control Module, Multiple Remote Control Key Fobs and Operators Manual. (Self-Supporting Gate)

63 New 16ft x 6ft Electric Cantilever Sliding Entrance Gate - Coffee Coloured Wood Grain WPC Panels c/w 5ft Counter-Balance Tail, Durable Steel, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish, MD-550 Electric Motor, Power Failure Manual Release Handle, Obstacle Detection Sensors, Wi-Fi + Bluetooth Control Module, Multiple Remote Control Key Fobs and Operators Manual. (Self-Supporting Gate)

64 Unused 13ft x 5ft Electric Cantilever Sliding Entrance Gate - Horizontal Bars c/w Durable Steel, Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish, Damaged MD-550 Electric Motor, Power Failure Manual Release Handle, Obstacle Detection Sensors, Multiple Remote Control Key Fobs and Operators Manual. (Self-Supporting Gate) **See Extra Photos For The Damage**

65 New 14ft Bi-Parting Double Steel Gate - Artwork Horse Design c/w Hinges, Double Arc, Jet Black Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish and Fully Welded. Highest Height: Approx. 7.42ft / 2.26m and Lowest Height: Approx. 5.83ft / 1.77m.

66 New 14ft Bi-Parting Double Steel Gate - Artwork Tree Design c/w Hinges, Single Arc, Jet Black Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish and Fully Welded. Highest Height: Approx. 7.42ft / 2.26m and Lowest Height: Approx. 5.83ft / 1.77m.

67 Unused Ex-Display Pair of R/H 14ft Bi-Parting Double Steel Gate - European Design c/w Hinges, Single Arc, Jet Black Dual-Layer Corrosion and Rust Resistant Powder-Coated Finish and Fully Welded. Highest Height: Approx. 7.42ft and Lowest Height: Approx. 5.83ft.

68 New Phixwell LB8000 (8kW) Heavy-Duty Portable Petrol Site Generator - 18HP Engine c/w Dual Electric Key Start and Pull Cord Recoil, 3 Pin 110V and 230V Plugs, Operators Manual, Double Ended Spanner, Long Reach Spark Plug Box Wrench, 1 x 110V Socket and 1 x 230V Socket, 12V Battery Charging Leads, 25L Fuel Tank Capacity, Wheel Kit and Handles.

69 New Phixwell LB8000 (8kW) Heavy-Duty Portable Petrol Site Generator - 18HP Engine c/w Dual Electric Key Start and Pull Cord Recoil, 3 Pin 110V and 230V Plugs, Operators Manual, Double Ended Spanner, Long Reach Spark Plug Box Wrench, 1 x 110V Socket and 1 x 230V Socket, 12V Battery Charging Leads, 25L Fuel Tank Capacity, Wheel Kit and Handles.

70 New Phixwell LB7000 (7kW) Heavy-Duty Portable Petrol Site Generator - 17HP Engine c/w Dual Electric Key Start and Pull Cord Recoil, 3 Pin 110V and 230V Plugs, Operators Manual, Double Ended Spanner, Long Reach Spark Plug Box Wrench, 2 x 110V Socket and 1 x 230V Socket, 12V Battery Charging Leads, 25L Fuel Tank Capacity, Wheel Kit and Handles.

71 2 x 110V Compressed Air Dryers

72 2 x 110V Compressed Air Dryers

73 2 x 110V Compressed Air Dryers

74 2 x 110V Compressed Air Dryers

75 2 x 110V Compressed Air Dryers

76 110V and 240V Compressed Air Dryers

77 2 x 110V Compressed Air Dryers

78 2 x 110V Compressed Air Dryers

79 2 x 110V Compressed Air Dryers

80 2 x 110V Compressed Air Dryers

81 2 x 110V Compressed Air Dryers

82 3 x 110V Compressed Air Dryers

83 2018 Biemmedue Arcotherm EC85 Indirect Oil Fired Space Heater. S/N: 20917330

84 2018 Biemmedue Arcotherm EC85 Indirect Oil Fired Space Heater. S/N: 20917327

85 2018 Biemmedue Arcotherm EC85 Indirect Oil Fired Space Heater. S/N: 20917321

86 2018 Biemmedue Arcotherm EC85 Indirect Oil Fired 110V Space Heater. S/N: 20917332

87 2018 Biemmedue Arcotherm EC85 Indirect Oil Fired 110V Space Heater. S/N:20917333

88 Pallet of 110V electrical cables.

89 Pallet of 3 Phase cables.

90 Pallet of 240V electrical cables.

91 Enviraclean Hodge Clemco industrial sandblasting pot with blasting hose. S/N: 2532.

92 Enviraclean Hodge Clemco industrial sandblasting pot with blasting hose. S/N: 2529.
93 2015 Gritco industrial sandblasting pot with blasting hose. S/N: 270477
94 2015 Gritco industrial sandblasting pot with blasting hose. S/N: 270484.
95 2015 Gritco industrial sandblasting pot with blasting hose. S/N: 270487.
96 2012 Blastline Sandblasting Pot with blasting hose. S/N: 4084.
97 2013 Blastline Sandblasting Pot with blasting hose. S/N: 4086
98 2010 Blastline Sandblasting Pot with blasting hose. S/N: 4087
99 2012 Blastline Sandblasting Pot. S/N: 4082
100 2011 Blastline Sandblasting Pot with airline hose. S/N: 4085.
101 2 x Sandblasting Pots. Repairs/attention required.
102 Heavy-duty portable 110V site transformer box. 3 Phase.
200 2008 Mercedes 15 Ton Drop Side Tipper, Manual Gearbox, V5 Available, Registration Number - GN 08 USL