

James Armstrong

P&M April 2026

- Tuesday 28th April 2026, 11am

online

LOT Nr.	Description
1	Finance Entry - 2019 Hitachi ZX 130 LCN - 6 Excavator with hammer lines, quick hitch and 3 buckets. Serial Number MCMDA051K00509350
2	Finance Entry - 2016 Hitachi ZX 85 USB Excavator with hammer lines, quick hitch, blade and bucket. Serial Number HCMDEE50C00101225
3	Finance Entry - 2017 JCB 540/140 Teleporter with toes. Serial Number JCB5A87GVH2568361
4	Finance Entry - 2016 Thwaites 9 Ton straight tip 4WD dumper. Serial Number SLCM20901602D4272
5	Finance Entry - 2016 Thwaites 9 Ton straight tip 4WD dumper. Serial Number SLCM20901602D6015
6	Finance Entry - 2022 FORST ST6P 6" fast tow petrol engined wood chipper. Serial Number SA9ST6P0002283223
7	2021 CLAAS Arion 430 4WD Tractor
8	Finance Entry SF14 JGO - 2014 CLAAS Arion 620 CIS 4WD Tractor. Serial Number A3604EAA3604290
9	2011 G23 Kubota Lawn Tractor. Serial Number G2313212
10	New AGT XK12G-R 1 Tonne Mini Excavator c/w Canopy, 7in Wide Rubber Tracks, Backfill Blade, 16in Digging Bucket, Mechanical Thumb, LED Work-Light and Plumbed for Auxiliary Hydraulics. Also Included is a Toolbox and Maintenance Tools. Specifications: Colour: Blue Engine: Rato Petrol Rated Power: 10kW (13.5hp) Displacement: 420cc Fuel Capacity: 6.6L Fuel Consumption: 0.5-1.2 L/Hr
11	New AGT XK12G-R 1 Tonne Mini Excavator c/w Canopy, 7in Wide Rubber Tracks, Backfill Blade, 16in Digging Bucket, Mechanical Thumb, LED Work-Light and Plumbed for Auxiliary Hydraulics. Also Included is a Toolbox and Maintenance Tools. Specifications: Colour: Orange Engine: Rato Petrol Rated Power: 10kW (13.5hp) Displacement: 420cc Fuel Capacity: 6.6L Fuel Consumption: 0.5-1.2 L/Hr
12	New JAC CBD15 Electric Pallet Truck, 1500kg Loading Capacity, Electric Lifting, Lowering and Driving, Curtis Controller, Mechanical Steering, Balance Wheel, Emergency Stop Button, 24V/75Ah Battery and Built-In Charger.

- Fork Dimensions: 1150mm x 560mm
Turning Radius: Approx 1352mm - 1398mm
Operating Speed: Approx 4.2km/h - 4.5km/h
- 13 New JAC CBD15 Electric Pallet Truck, 1500kg Loading Capacity, Electric Lifting, Lowering and Driving, Curtis Controller, Mechanical Steering, Balance Wheel, Emergency Stop Button, 24V/75Ah Battery and Built-In Charger.

- Fork Dimensions: 1150mm x 560mm
Turning Radius: Approx 1352mm - 1398mm
Operating Speed: Approx 4.2km/h - 4.5km/h
- 14 New Outdoor All Year-Round Gas Barbecue Unit c/w Teak Coloured Wood Grain WPC Panels, Grey Powder-Coated Stainless Steel, Barbecue Grill, Hotplate, Under Counter Storage, Sink, Plug Sockets, Bottle Opener, Lights & Electric Door with Remote Control.

- Ext. Dimensions: 7ft x 3ft x 7.5ft (L x W x H)
- 15 New Phixwell LB6000 Heavy-Duty Portable Petrol Site Generator c/w Operators Manual, Double Ended Spanner, Long Reach Spark Plug Box Wrench, 2 x 32 Amp 110V Plug Sockets and 1 x 32 Amp 230V Plug Socket, 12V Battery Charging Leads, Wheel Kit and Handles for Easy Transport.

Specifications:

Displacement: 420cc
Max Output Power: 15hp
Rated Output: 6kW
Maximum Output: 6.5kW
Starting System: Electric Key Start & Pull Cord Recoil
Fuel Type: Petrol
Fuel Tank Capacity: 25L
Continuous Operating Time: 8hrs
Oil Capacity: 1.1L

Output Sockets: 110V (2 of)
Output Sockets: 230V
Output Sockets: 12V (Durable Screw-On)

Key Features:

- * Extended Run Time
- * Reliable Performance
- * Universal Power Source
- * Durable Build
- * Easy to Transport
- * User-Friendly Design

- 16 New Phixwell LB6000 Heavy-Duty Portable Petrol Site Generator c/w Operators Manual, Double Ended Spanner, Long Reach Spark Plug Box Wrench, 2 x 32 Amp 110V Plug Sockets and 1 x 32 Amp 230V Plug Socket, 12V Battery Charging Leads, Wheel Kit and Handles for Easy Transport.

Specifications:

Displacement: 420cc
Max Output Power: 15hp
Rated Output: 6kW

Maximum Output: 6.5kW
Starting System: Electric Key Start & Pull Cord Recoil
Fuel Type: Petrol
Fuel Tank Capacity: 25L
Continuous Operating Time: 8hrs
Oil Capacity: 1.1L

• Output Sockets: 110V (2 of)
• Output Sockets: 230V
• Output Sockets: 12V (Durable Screw-On)

Key Features:

- * Extended Run Time
- * Reliable Performance
- * Universal Power Source
- * Durable Build
- * Easy to Transport
- * User-Friendly Design

17 New Phixwell LB7000 Heavy-Duty Portable Petrol Site Generator c/w Operators Manual, Double Ended Spanner, Long Reach Spark Plug Box Wrench, 2 x 32 Amp 110V Plug Sockets and 1 x 32 Amp 230V Plug Socket, 12V Battery Charging Leads Wheel Kit and Handles for Easy Transport.

Specifications:

Displacement: 458cc
Max Output Power: 17hp
Rated Output: 7kW
Maximum Output: 7.5kW
Starting System: Electric Key Start & Pull Cord Recoil
Fuel Type: Petrol
Fuel Tank Capacity: 25L
Continuous Operating Time: 8hrs
Oil Capacity: 1.1L

• Output Sockets: 110V (2 of)
• Output Sockets: 230V
• Output Sockets: 12V (Durable Screw-On)

Key Features:

- * Extended Run Time
- * Reliable Performance
- * Universal Power Source
- * Durable Build
- * Easy to Transport
- * User-Friendly Design

18 New Phixwell LB8000 Heavy-Duty Portable Petrol Site Generator c/w Operators Manual, Double Ended Spanner, Long Reach Spark Plug Box Wrench, 1 x 32 Amp 110V Plug Socket and 1 x 32 Amp 230V Plug Socket, 12V Battery Charging Leads Wheel Kit and Handles for Easy Transport.

Specifications:

Displacement: 480cc
Max Output Power: 18hp
Rated Output: 8kW
Maximum Output: 8.5kW
Starting System: Electric Key Start & Pull Cord Recoil
Fuel Type: Petrol
Fuel Tank Capacity: 25L
Continuous Operating Time: 7hrs
Oil Capacity: 1.1L

Output Sockets: 110V (2 of)
Output Sockets: 230V
Output Sockets: 12V (Durable Screw-On)

Key Features:

- * Extended Run Time
- * Reliable Performance
- * Universal Power Source
- * Durable Build
- * Easy to Transport
- * User-Friendly Design

19 New 75L Portable Diesel Fuel Caddy, High-Density Polyethylene Plastic, 12V Electric Pump (40L/min) , 4m of 3/4" Hose Reel, High-Quality Auto-Shut-Off Fuel Nozzle, 4m Electric Cable with Crocodile Clips, Built-In Lifting Handles and Integrated Wheels.

20 Ext. Dimensions: 480mm x 530mm x 1050mm (L x W x H)
New 100L Portable Diesel Fuel Tank, High-Density Polyethylene Plastic, 12V Electric Pump (40L/min) , 4m of 3/4" Hose Reel, High-Quality Auto-Shut-Off Fuel Nozzle and 4m Electric Cable with Crocodile Clips.

21 Ext. Dimensions: 800mm x 530mm x 510mm (L x W x H)
New 200L Portable Diesel Fuel Tank, High-Density Polyethylene Plastic, 12V Electric Pump (40L/min) , 4m of 3/4" Hose Reel, High-Quality Auto-Shut-Off Fuel Nozzle, Air Breather, 4m Electric Cable with Crocodile Clips, Lockable Hinged Lid and Forklift Pockets.

22 Ext. Dimensions: 830mm x 760mm x 590mm (L x W x H)
New 200L Portable Diesel Fuel Tank, High-Density Polyethylene Plastic, 12V Electric Pump (40L/min) , 4m of 3/4" Hose Reel, High-Quality Auto-Shut-Off Fuel Nozzle, Air Breather, 4m Electric Cable with Crocodile Clips, Lockable Hinged Lid and Forklift Pockets.

23 Ext. Dimensions: 830mm x 760mm x 590mm (L x W x H)
New 200L Portable Diesel Fuel Tank, High-Density Polyethylene Plastic, 12V Electric Pump (40L/min) , 4m of 3/4" Hose Reel, High-Quality Auto-Shut-Off Fuel Nozzle, Air Breather, 4m Electric Cable with Crocodile Clips, Lockable Hinged Lid and Forklift Pockets.

24 Ext. Dimensions: 830mm x 760mm x 590mm (L x W x H)
New / One Trip 40ft High Cube Multi-Door Shipping Container c/w 4 Side Opening Doors, End Doors, Lock Box, Lifting Eyes & 27mm Marine Plywood Floor.

Colour: Grey | Weight: 4,260kg

Ext. Dimensions:

Length: 40ft / 12.19m

Width: 8ft / 2.44m

Height: 9.5ft / 2.89m

****Buyer Must Be Self-Sufficient When Loading****

25 New / One Trip 40ft High Cube Multi-Door Shipping Container c/w 4 Side Opening Doors, End Doors, Lock Box, Lifting Eyes & 27mm Marine Plywood Floor.

Colour: White | Weight: 4,250kg

Ext. Dimensions:

Length: 40ft / 12.19m

Width: 8ft / 2.44m

Height: 9.5ft / 2.89m

****Buyer Must Be Self-Sufficient When Loading****

26 New / One Trip 40ft High Cube Multi-Door Shipping Container c/w 4 Side Opening Doors, End Doors, Lock Box, Lifting Eyes & 27mm Marine Plywood Floor.

Colour: White | Weight: 4,250kg

Ext. Dimensions:

Length: 40ft / 12.19m

Width: 8ft / 2.44m

Height: 9.5ft / 2.89m

****Buyer Must Be Self-Sufficient When Loading****

27 New 9ft Container c/w Side Door and Window, End Doors, Lock Box, Forklift Pockets, Lifting Eyes and 27mm Thick Marine Plywood Floor. The Container has Window Security Bars and a Lockable Side Door.

Colour: White | Weight: 900kg

Ext. Dimensions: 2740mm x 2200mm x 2510mm (L x W x H)

Suitable For:

Storage Container

Tools Storage

Site Office

Site Safe

Chemical Store

Hazardous Storage Cabinet

Garden Shed

Motorbike or Quad Storage

Security Office

28 New 9ft Container c/w Side Door and Window, End Doors, Lock Box, Forklift Pockets, Lifting Eyes and 27mm Thick Marine Plywood Floor. The Container has Window Security Bars and a Lockable Side Door.

Colour: Grey | Weight: 900kg

Ext. Dimensions: 2740mm x 2200mm x 2510mm (L x W x H)

Suitable For:

Storage Container
Tools Storage
Site Office
Site Safe
Chemical Store
Hazardous Storage Cabinet
Garden Shed
Motorbike or Quad Storage
Security Office

29 New 9ft Container c/w Side Door and Window, End Doors, Lock Box, Forklift Pockets, Lifting Eyes and 27mm Thick Marine Plywood Floor. The Container has Window Security Bars and a Lockable Side Door.

Colour: Black | Weight: 900kg

Ext. Dimensions: 2740mm x 2200mm x 2510mm (L x W x H)

Suitable For:

Storage Container
Tools Storage
Site Office
Site Safe
Chemical Store
Hazardous Storage Cabinet
Garden Shed
Motorbike or Quad Storage
Security Office

30 New 8ft Container c/w Side Door and Window, End Doors, Lock Box, Forklift Pockets, Lifting Eyes and 27mm Thick Marine Plywood Floor. The Container is Stackable, has Window Security Bars and a Lockable Side Door.

Colour: White | Weight: 780kg

Ext. Dimensions: 2490mm x 2040mm x 2260mm (L x W x H)

Suitable For:

Storage Container
Tools Storage
Site Office
Site Safe
Chemical Store
Hazardous Storage Cabinet
Garden Shed
Motorbike or Quad Storage
Security Office

31 New 8ft Container c/w Side Door and Window, End Doors, Lock Box, Forklift Pockets, Lifting Eyes and 27mm Thick Marine Plywood Floor. The Container is Stackable, has Window Security Bars and a Lockable Side Door.

Colour: Grey | Weight: 780kg

Ext. Dimensions: 2490mm x 2040mm x 2260mm (L x W x H)

Suitable For:

Storage Container
Tools Storage
Site Office
Site Safe
Chemical Store
Hazardous Storage Cabinet
Garden Shed
Motorbike or Quad Storage
Security Office

32 New Forklift Tipping Skip, Heavy-Duty Steel, Long Forklift Pockets and Self-Dumping Design with Locking Latch.

Capacity: 1CY / 764L

Colour: Blue

Tipping: Manual

Ex. Dimensions: 1.1m x 1.1m x 1.0m (L x W x H)

Suitable For:

Material Handling
Scrap Collection
Recycling
Storage

33 New Forklift Tipping Skip, Heavy-Duty Steel, Long Forklift Pockets and Self-Dumping Design with Locking Latch.

Capacity: 1CY / 764L

Colour: Blue

Tipping: Manual

Ex. Dimensions: 1.1m x 1.1m x 1.0m (L x W x H)

Suitable For:

Material Handling
Scrap Collection
Recycling
Storage

34 New 220V Portable Site Single Toilet Block, c/w Button Flush Toilet, Tap, Sink, Mirror, LED Light, Extractor Fan, Toilet Paper Holder, Plug Socket with 2 USB Charging Ports, Non-Slip, Easy-Clean Flooring, Insulated Walls and Ceiling, Ventilation Panels, Forklift Pockets, Lifting Lugs and Multiple Keys.

Ext. Dimensions: 1.5m x 1.1m x 2.3m Approx. (L x W x H)
35 New 220V Portable Site Double Toilet Block, Each End Cubicle c/w Duo Flush Toilet, Tap, Sink, Mirror, LED Light, Extraction Fan, Toilet Paper Holder, Plug Socket with 2 USB Charging Ports, Non-Slip, Easy-Clean Flooring, Insulated Walls and Ceiling, Ventilation Panels, Forklift Pockets, Lifting Lugs and Multiple Keys.

Ext. Dimensions: 1.5m x 2.2m x 2.3m Approx. (L x W x H)
36 New 220V Portable Site Toilet & Shower Block c/w Duo Flush Toilet, Sink, Tap, LED Light, Extraction Fan, Toilet Paper Holder, Shower Column with Hand Attachment, Soap Dish, Mirror, Under Sink Cabinet, Non-Slip, Easy-Clean Flooring, Insulated Walls and Ceiling, Ventilation Panels, Lifting Lugs, Forklift Pockets and Multiple Keys.

Ext. Dimensions: 2m x 2.2m x 2.3m Approx. (L x W x H)
37 New GS2119 Double Garage Metal Shed c/w 2 x Front Frame Door Openings, 1 x Personnel Entry Door, High-Strength Galvanised Steel Frames, High-Quality Corrugated Steel Panels, Roof & Wall Bracings, Anchors and 400 sq ft of Floor Space.

Colour: Cream

Frame Door Openings: Approx 8.4ft x 7.4ft (Each)

Side Door Opening: Approx 2.9ft x 6.5ft

Frames: 16ga (1.6mm)

Roof and Wall Panels: 28ga (0.32mm - 0.38mm)

Suitable For:

Vehicle Storage
Workshop/ Garage
Equipment Housing

****Please Note Front Doors Not Included****
38 New 13ft XPF13H Electric Cantilever Sliding Gate, c/w MD 550 Electric Motor, Safety Sensors, Manual Release Handle, Remote Controls and Operators Manual.

Length: 13ft / 4m

Height: 5ft / 1.6m

****No Girder or Ground Track Required as the Cantilever Gate is Self-Supporting****
39 New 13ft XPF13H Electric Cantilever Sliding Gate, c/w MD 550 Electric Motor, Safety Sensors, Manual Release Handle, Remote Controls and Operators Manual.

Length: 13ft / 4m

Height: 5ft / 1.6m

****No Girder or Ground Track Required as the Cantilever Gate is Self-Supporting****
40 New 13ft XPF13H Electric Cantilever Sliding Gate, c/w MD 550 Electric Motor, Safety Sensors, Manual Release Handle, Remote Controls and Operators Manual.

Length: 13ft / 4m

Height: 5ft / 1.6m

****No Girder or Ground Track Required as the Cantilever Gate is Self-Supporting****

- 41 New 13ft XPF13H Electric Cantilever Sliding Gate, c/w MD 550 Electric Motor, Safety Sensors, Manual Release Handle, Remote Controls and Operators Manual.

Length: 13ft / 4m

Height: 5ft / 1.6m

****No Girder or Ground Track Required as the Cantilever Gate is Self-Supporting****

- 42 New 14ft Bi-Parting Iron Gates, Double Arc, Matte Black, Hot Dip Galvanised & Powder-Coated (Star Design)

Width:14ft / 4.29m

Highest Height: Approx 7.42ft / 2.26m

Lowest Height: Approx 5.83ft / 1.77m

- 43 New 14ft Bi-Parting Iron Gates, Single Arc, Matte Black, Hot Dip Galvanised & Powder-Coated (European Design).

Width:14ft / 4.29m

Highest Height: Approx. 7.42ft / 2.26m

Lowest Height: Approx. 5.83ft / 1.77m

- 44 New 14ft Bi-Parting Iron Gates, Single Arc, Matte Black, Hot Dip Galvanised & Powder-Coated (Tree Design).

Width:14ft / 4.29m

Highest Height: Approx. 7.42ft / 2.26m

Lowest Height: Approx. 5.83ft / 1.77m

****Images for illustration Purposes Only****

- 45 New 14ft Bi-Parting Iron Gates, Single Arc, Matte Black, Hot Dip Galvanised & Powder-Coated (Tree Design).

Width:14ft / 4.29m

Highest Height: Approx. 7.42ft / 2.26m

Lowest Height: Approx. 5.83ft / 1.77m

****Images for illustration Purposes Only****

- 46 New 14ft Bi-Parting Steel Gates, Double Arc, Matte Black, Hot Dip Galvanised & Powder-Coated (Horse Design)

Width:14ft / 4.29m

Highest Height: Approx. 7.42ft / 2.26m

Lowest Height: Approx. 5.83ft / 1.77m

- 47 New 14ft Bi-Parting Steel Gates, Double Arc, Matte Black, Hot Dip Galvanised & Powder-Coated (Horse Design)

Width:14ft / 4.29m

Highest Height: Approx. 7.42ft / 2.26m

Lowest Height: Approx. 5.83ft / 1.77m

- 48 New 14ft Bi-Parting Steel Gates, Double Arc, Matte Black, Hot Dip Galvanised & Powder-Coated (Horse Design)

Width:14ft / 4.29m

Highest Height: Approx. 7.42ft / 2.26m

Lowest Height: Approx. 5.83ft / 1.77m

- 49 New 4.5ft Workbench with 7 Drawers and 2 Cabinets, Stainless Steel Worktop, Packed in Plastics, Drawers with Lock & Anti-Slip Liners, 3 Section Ball-Bearing Slide Rails, Heavy-Duty Caster Wheels, Stainless Steel, Black Powder-Coated Finish, Lockable Drawers & Cabinets, Stainless Steel Side Handle and c/w Multiple Keys.

Ext. Dimensions: 144cm x 53cm x 94cm Approx. (L x W x H)

- 50 New 4.5ft Workbench with 7 Drawers and 2 Cabinets, Stainless Steel Worktop, Packed in Plastics, Drawers with Lock & Anti-Slip Liners, 3 Section Ball-Bearing Slide Rails, Heavy-Duty Caster Wheels, Stainless Steel, Black Powder-Coated Finish, Lockable Drawers & Cabinets, Stainless Steel Side Handle and c/w Multiple Keys.

Ext. Dimensions: 144cm x 53cm x 94cm Approx. (L x W x H)

- 51 New 6.5ft Workbench with 6 Drawers and 1 Cabinet, Solid Wood Worktop, Galvanized Steel Drawer Box, Stainless Steel Drawer Panel, Anti-Slip Mats, Full Extension Ball-Bearing Slide Rails, Lockable Cabinet with Adjustable Shelf, Green Plastic Powder Finish.

Large Drawers: 40cm x 50cm x 18cm Approx. (L x W x H)

Ext. Dimensions: 195cm x 53cm x 93cm Approx. (L x W x H)

- 52 New 7ft Work Bench with 10 Drawers and 2 Cabinets, Packed in Plastics, Drawers with Lock & Anti-Slip Liners, 3 Section Ball-Bearing Slide Rails, Stainless Steel, Integrated Locking System and Supplied with Keys.

Ext. Dimensions: 225cm x 60cm x 96cm Approx. (L x W x H)

- 53 New 7ft Work Bench with 10 Drawers and 2 Cabinets, Packed in Plastics, Drawers with Lock & Anti-Slip Liners, 3 Section Ball-Bearing Slide Rails, Stainless Steel, Integrated Locking System and Supplied with Keys.

Ext. Dimensions: 225cm x 60cm x 96cm Approx. (L x W x H)

- 54 New 7ft Work Bench with 20 Drawers, Packed in Plastics, Drawers with Lock & Anti-Slip Liners, 3 Section Ball-Bearing Slide Rails, Stainless Steel, Integrated Locking System and Supplied with Keys.

Ext. Dimensions: 225cm x 60cm x 96cm Approx. (L x W x H)

- 55 New 7ft Work Bench with 20 Drawers, Packed in Plastics, Drawers with Lock & Anti-Slip Liners, 3 Section Ball-Bearing Slide Rails, Stainless Steel, Integrated Locking System and Supplied with Keys.

Ext. Dimensions: 225cm x 60cm x 96cm Approx. (L x W x H)

- 56 New 7ft Workshop Toolbox with 35 Drawers and 1 Cabinet, Packed in Plastics, Drawers with Lock & Anti-Slip Liners, 3 Section Ball-Bearing Slide Rails, Stainless Steel, Integrated Locking System and Supplied with Keys.

Ext. Dimensions: 216cm x 57cm x 145cm Approx. (L x W x H)

- 57 New 2025 10ft Work Bench with 30 Drawers. Packed in Plastics. Drawers with Lock & Anti-Slip Liners, 3 Section Ball-Bearing Slide Rails, Stainless Steel, Integrated Locking System and Supplied with Keys.

Ext. Dimensions: 287cm x 59cm x 97cm Approx. (L x W x H)

- 58 New Deuschtech DT-MAX 11 Drawer Tool Cabinet on Heavy-Duty Caster Wheels, 3 Section Ball-Bearing Slide Rails, Solid Wood Worktop, Foam Drawer Inserts, Stainless Steel, White Powder-Coated Finish, Lockable Drawers and c/w Tools Inc Socket & Ratchet Sets, Screwdriver Set,

Pliers, Spanner Sets, Hammers and Files etc.

- 59 Ext. Dimensions: 137cm x 54cm x 98cm / 4.5ft x 1.7ft x 3.2ft (L x W x H)
New Deutschtech DT-MAX 11 Drawer Tool Cabinet on Heavy-Duty Caster Wheels, 3 Section Ball-Bearing Slide Rails, Solid Wood Worktop, Foam Drawer Inserts, Stainless Steel, White Powder-Coated Finish, Lockable Drawers and c/w Tools Inc Socket & Ratchet Sets, Screwdriver Set, Pliers, Spanner Sets, Hammers and Files etc.
- 60 Ext. Dimensions: 137cm x 54cm x 98cm / 4.5ft x 1.7ft x 3.2ft (L x W x H)
New Deutschtech DT-MAX 11 Drawer Tool Cabinet on Heavy-Duty Caster Wheels, 3 Section Ball-Bearing Slide Rails, Solid Wood Worktop, Foam Drawer Inserts, Stainless Steel, Black Powder-Coated Finish, Lockable Drawers and c/w Tools Inc Socket & Ratchet Sets, Screwdriver Set, Pliers, Spanner Sets, Hammers and Files etc.
- 61 Ext. Dimensions: 137cm x 54cm x 98cm / 4.5ft x 1.7ft x 3.2ft (L x W x H)
New Deutschtech DT-MAX 11 Drawer Tool Cabinet on Heavy-Duty Caster Wheels, 3 Section Ball-Bearing Slide Rails, Solid Wood Worktop, Foam Drawer Inserts, Stainless Steel, Black Powder-Coated Finish, Lockable Drawers and c/w Tools Inc Socket & Ratchet Sets, Screwdriver Set, Pliers, Spanner Sets, Hammers and Files etc.
- 62 Ext. Dimensions: 137cm x 54cm x 98cm / 4.5ft x 1.7ft x 3.2ft (L x W x H)
New Phixwell XXL 7 Drawer Tool Cabinet on Heavy-Duty Caster Wheels, 3 Section Ball-Bearing Slide Rails, Foam Drawer Inserts, Stainless Steel, Black Powder-Coated Finish, Lockable Drawers Side Handle and c/w Tools, Inc Socket & Ratchet Sets, Screwdriver Set, Pliers, Spanners and 2 Keys.
- 63 Ext. Dimensions: 800mm x 450mm x 950mm / 2.6ft x 1.4ft x 3.1ft (L x W x H)
New Phixwell XXL 7 Drawer Tool Cabinet on Heavy-Duty Caster Wheels, 3 Section Ball-Bearing Slide Rails, Foam Drawer Inserts, Stainless Steel, Black Powder-Coated Finish, Lockable Drawers Side Handle and c/w Tools, Inc Socket & Ratchet Sets, Screwdriver Set, Pliers, Spanners and 2 Keys.
- 64 Ext. Dimensions: 800mm x 450mm x 950mm / 2.6ft x 1.4ft x 3.1ft (L x W x H)
New Phixwell XXL 7 Drawer Tool Cabinet on Heavy-Duty Caster Wheels, 3 Section Ball-Bearing Slide Rails, Foam Drawer Inserts, Stainless Steel, Black Powder-Coated Finish, Lockable Drawers Side Handle and c/w Tools, Inc Socket & Ratchet Sets, Screwdriver Set, Pliers, Spanners and 2 Keys.
- 65 Ext. Dimensions: 800mm x 450mm x 950mm / 2.6ft x 1.4ft x 3.1ft (L x W x H)
New Phixwell XXL 7 Drawer Tool Cabinet on Heavy-Duty Caster Wheels, 3 Section Ball-Bearing Slide Rails, Foam Drawer Inserts, Stainless Steel, Black Powder-Coated Finish, Lockable Drawers Side Handle and c/w Tools, Inc Socket & Ratchet Sets, Screwdriver Set, Pliers, Spanners and 2 Keys.
- 66 Ext. Dimensions: 800mm x 450mm x 950mm / 2.6ft x 1.4ft x 3.1ft (L x W x H)
New Forklift Extension Toes, Heavy-Duty Pressed Steel, Tapered and Shaped Tips, Rounded Edges for Easy Load Entry, Black Powder-Coated Finish and Fixed Rear Stop Lugs. (Qty of 2)
- Total Length: 72in / 1830mm
Compatible Fork Width: 6in / 150mm
Maximum Fork Thickness: 2in / 50mm
- 67 New Forklift Extension Toes, Heavy-Duty Pressed Steel, Tapered and Shaped Tips, Rounded Edges for Easy Load Entry, Black Powder-Coated Finish and Fixed Rear Stop Lugs. (Qty of 2)

Total Length: 72in / 1830mm

Compatible Fork Width: 6in / 150mm

Maximum Fork Thickness: 2in / 50mm

- 68 Finance Entry - WR67 OOV - 2017 Mitsubishi L200 Titan DI-D 4 x 4 Pick up with PSV to 09/26
- 69 Company Direct - YT64 WLC - 2014 Ford Transit 460 Econetic Tech Minibus.with twin rear wheels and 17 seats + driver.
Two keys.
- 70 Company Direct - HJ17 HHT - 2014 Ford Transit 460 Trend Econetic Tech Minibus with twin rear wheels, Tachograph and 17 seats + driver.
Two keys.